

**National Endowment for the Humanities**

**Environmental Assessment  
for the  
Historic Hudson Valley  
Philipsburg Manor Millpond Restoration**

**CHA-295061**

**DRAFT**

May 13<sup>th</sup>, 2024

Ann E. Piesen, MCP  
Federal Preservation and Environmental Officer  
Senior Grants Policy Analyst  
Office of Grant Management  
National Endowment for the Humanities

Re: CEA for Historic Hudson Valley, Philipsburg Manor Mill Pond Dredge Project

Dear Ms. Piesen:

Historic Hudson Valley is pleased to submit the attached Full Environmental Assessment Form to fulfill its obligation to be in compliance with the National Environmental Policy Act and ensure that the Philipsburg Manor Mill Pond (PMMP) Dredge Project is protective of environment, human health and the historic and archeological resources that allow Historic Hudson Valley to fulfill its educational mission.

The dredging of the PMMP will restore the full function of the 18th century grist mill and restore the ecology and hydrology of the pond.

Please feel free to contact me or our environmental consultant, EcoAssessment if you have any questions. We look forward to continuing to work with the National Endowment of the Humanities to preserve our history and educate the people we serve.

Sincerely,



Richard Torres

Director of Buildings, Grounds and Security  
Historic Hudson Valley

Historic Hudson Valley  
Philipsburg Manor Mill Pond Dredge  
381 N. Broadway  
Sleepy Hollow, NY 10591

Environmental Assessment



## TRANSMITTAL

- 1) Cover Letter
- 2) Narrative and Work Plan
- 3) Full Environmental Assessment used in Joint Application for permits from the New York State Department of Environmental Conservation and the United States Army Corps of Engineers.

### List of Attachments:

- A. USGS Quadrangle Location Map
- B. Philips Manor Mill Pond Tax Map
- C. Google Earth image Philips Manor Dredge Project Area
- D. Google Earth Image NYSDEC Remediation Site
- E. Bathymetric Survey Philips Manor Mill Pond
- F. Conceptual Layout of Geotubes
- G. National Wetlands Inventory Map Philipsburg Manor Mill Pond
- H. FEMA FIRM for Philipsburg Manor
- I. New York State Historic Preservation Office Determination and Application
- J. NYSDEC Sediment Classification Letter June 8<sup>th</sup>, 2022
- K. NYSDEC Sediment Testing Protocol Approval Letter October 15<sup>th</sup>, 2021
- L. Sediment Testing Results Phoenix Laboratories
- M. Mud Cat SP-915 Hydro Dredge Unit Specifications



May 13<sup>th</sup>, 2024

Ann E. Piesen, MCP  
Federal Preservation and Environmental Officer  
Senior Grants Policy Analyst  
Office of Grant Management  
National Endowment for the Humanities

Re: CEA for Historic Hudson Valley, Philipsburg Manor Mill Pond Dredge Project

Dear Ms. Piesen:

Please find a New York State Department of Environmental Conservation (NYSDEC) Full Environmental Assessment Form (FEAF) and attachments for your review for the Philipsburg Manor Mill Pond Dredge Project. We believe that this form and the attachments meet the requirements of the Consolidated Environmental Assessment required under the National Environmental Policy Act (NEPA), the Council on Environmental Quality regulations for implementing NEPA (44 CFR Parts 1500 through 1508) and the National Endowment for the Humanities NEPA Implementing Procedures.

Please let me know if you have any questions regarding this review and environmental assessment.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy K. Judge".


Timothy K. Judge

#### Environmental Permitting and Ecological Assessment

EcoAssessment, LLC  
436 Benedict Ave., Tarrytown, NY 10591  
845-222-6135 [judget@alum.rpi.edu](mailto:judget@alum.rpi.edu)

*Preparer Certification*

I hereby certify that the information I have provided is complete and accurate, to the best of my knowledge:

  
Timothy K. Judge

30 May 2024


Date

President  
Title

EcoAssessment  
Organization

Recipient Certification (must be signed by an authorized official; may not be delegated to consultant)

I hereby certify that the information provided is complete and accurate to the best of my knowledge. I also recognize and agree that construction activity, including but not limited to site preparation, demolition, or land disturbance, is limited by 40 CFR §1506.1 - Limitations on actions until the NEH issues a final environmental decision for the proposed project(s) and until compliance with all other applicable NEH approval actions (e.g., all conditions of the grant award have been met) have occurred. All applicable Federal, State, and local permits required shall be obtained before proceeding with the proposed action.

  
Historic Hudson Valley, Inc.

Richard Torres  
Director of Buildings, Grounds  
and Security

**NEH Decision**

Having reviewed the above information, certified by the responsible official, the proposed projects warrant environmental processing as indicated below:

The proposed action has been found to qualify for a Condensed Environmental

- Assessment.
- The Finding of No Significant Impact is attached.
- The proposed development action exhibits conditions that require the preparation of a detailed Environmental Assessment.
- The proposed development action requires preparation of an Environmental Impact Statement.

Name

Date

NEH Environmental Officer

## **Philipsburg Manor Mill Pond Dredge Project**

### **Narrative and Work Plan**



### **Background**

Philipsburg Manor, a National Historic Landmark site, located in Sleepy Hollow, New York, is a former provisioning plantation with a manor house, wharf, mill, barn, and a modern Visitor Center. In 1964, the site was restored to recreate its historic appearance circa the 1730s-40s, when it included a dam across the Pocantico River to create a millpond and hydropower for the Philipsburg Manor gristmill.

### **The Need**

In recent years, a series of storms—culminating with Hurricane Ida in 2021—deposited large amounts of sediment and debris into the millpond. The millpond, which is intended to have 14 acre-feet of reservoir capacity, is now filled with approximately 13 acre-feet of solid material that allows almost no waterflow. As a result, the Philipsburg Manor Mill Pond (PMMP) is no longer functional as a reservoir and has lost flow, volume and water pressure needed to turn the waterwheel that powers the mill. This creates added stress for the dam, makes the areas downstream of the millpond vulnerable to storm flooding, and significantly disrupts the historic landscape at Philipsburg Manor.

### **Project Description**

The proposed project will remove approximately 20,000 cubic yards of sediment and debris from the PMMP, restoring the property to its original function and historic appearance and reservoir capacity. Utilizing both mechanical and hydraulic dredging methods, the sediment will be dewatered using GeoTubes that retain the dredged sediments and allow the water to return to the Pocantico River. The sediments in the pond were sampled and tested using a New York State Department of Environmental Conservation (NYSDEC) approved protocol. The chemical

analysis was reviewed by the NYSDEC, and the sediments have been categorized as general fill.

### **Benefit**

The dredging of the PMMP will return the grist mill to operation and restore the reservoir capacity of pond. The restoration of the reservoir capacity is crucial to helping to mitigate flooding of the Pocantico River downstream of the dam. The ability to reduce the water level of the pond prior to a major storm event can help alleviate the severity of flooding in the tidal portion of the Pocantico River. This will help protect the investment being made by the Village of Sleepy Hollow. Dredging the Mill Pond will also help restore the ecology of the lower Pocantico River, both above and below the dam. The pond is used as habitat by fish species upstream of the dam and is utilized by several bird species reliant on aquatic habitat for foraging.

### **Alternative Considered**

The only alternative to dredging the PMMP is to take no action and let the sediments remain in place. This is not practical or desirable. Leaving the sediments in place will deprive the historic grist mill of flowing water needed to power the mill, eliminate the reservoir capacity of the PMMP and exacerbate flooding both above and below the dam. Allowing the accumulated sediments to remain in place will also alter the hydrology and ecology of the Pocantico River.

### **Work Plan**

An earthen pad of approximately 280 feet by 175 feet will be built to ensure that the geotubes have a level surface to be used for dewatering. Once the pad is completed, the hydraulic dredge unit, Mudcat SP-915, will be lowered by crane into the PMMP. Continuous, 6" heat welded PVC pipe will be deployed between dredge unit and the dewatering pad. The pipe will be connected from the dredge unit to the geotubes through a manifold system allowing for the even distribution of the sediments within the geotubes for dewatering.

After a period of at least 3 months, the dewatering tubes will be cut open and the sediments removed using a bucket loader. The dewatered sediments will be loaded into dump trucks and taken to a NYSDEC permitted composting facility.

Upon completion of the project, the remains of the geotubes will be disposed of, and the earthen pad removed. There will be no alteration of the existing landscape.

***Full Environmental Assessment Form***  
***Part 1 - Project and Setting***

**Instructions for Completing Part 1**

**Part 1 is to be completed by the applicant or project sponsor.** Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification.

Complete Part 1 based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information; indicate whether missing information does not exist, or is not reasonably available to the sponsor; and, when possible, generally describe work or studies which would be necessary to update or fully develop that information.

Applicants/sponsors must complete all items in Sections A & B. In Sections C, D & E, most items contain an initial question that must be answered either "Yes" or "No". If the answer to the initial question is "Yes", complete the sub-questions that follow. If the answer to the initial question is "No", proceed to the next question. Section F allows the project sponsor to identify and attach any additional information. Section G requires the name and signature of the applicant or project sponsor to verify that the information contained in Part 1 is accurate and complete.

**A. Project and Applicant/Sponsor Information.**

Name of Action or Project:		
Project Location (describe, and attach a general location map):		
Brief Description of Proposed Action (include purpose or need):		
Name of Applicant/Sponsor:	Telephone:	E-Mail:
Address:		
City/PO:	State:	Zip Code:
Project Contact (if not same as sponsor; give name and title/role):	Telephone:	
	E-Mail:	
Address:		
City/PO:	State:	Zip Code:
Property Owner (if not same as sponsor):	Telephone:	
	E-Mail:	
Address:		
City/PO:	State:	Zip Code:

## B. Government Approvals

<b>B. Government Approvals, Funding, or Sponsorship.</b> (“Funding” includes grants, loans, tax relief, and any other forms of financial assistance.)		
<b>Government Entity</b>	<b>If Yes: Identify Agency and Approval(s) Required</b>	<b>Application Date (Actual or projected)</b>
a. City Council, Town Board, or Village Board of Trustees		
b. City, Town or Village Planning Board or Commission		
c. City, Town or Village Zoning Board of Appeals		
d. Other local agencies		
e. County agencies		
f. Regional agencies		
g. State agencies		
h. Federal agencies		
i. Coastal Resources.		
i. Is the project site within a Coastal Area, or the waterfront area of a Designated Inland Waterway?	<input type="checkbox"/> Yes <input type="checkbox"/> No	
ii. Is the project site located in a community with an approved Local Waterfront Revitalization Program?	<input type="checkbox"/> Yes <input type="checkbox"/> No	
iii. Is the project site within a Coastal Erosion Hazard Area?	<input type="checkbox"/> Yes <input type="checkbox"/> No	

## C. Planning and Zoning

### C.1. Planning and zoning actions.

Will administrative or legislative adoption, or amendment of a plan, local law, ordinance, rule or regulation be the only approval(s) which must be granted to enable the proposed action to proceed?

- **If Yes**, complete sections C, F and G.
- **If No**, proceed to question C.2 and complete all remaining sections and questions in Part 1

### C.2. Adopted land use plans.

a. Do any municipally- adopted (city, town, village or county) comprehensive land use plan(s) include the site where the proposed action would be located?  Yes  No

If Yes, does the comprehensive plan include specific recommendations for the site where the proposed action would be located?  Yes  No

b. Is the site of the proposed action within any local or regional special planning district (for example: Greenway; Brownfield Opportunity Area (BOA); designated State or Federal heritage area; watershed management plan; or other?)  Yes  No

If Yes, identify the plan(s):

---



---



---

c. Is the proposed action located wholly or partially within an area listed in an adopted municipal open space plan, or an adopted municipal farmland protection plan?  Yes  No

If Yes, identify the plan(s):

---



---



---

### C.3. Zoning

a. Is the site of the proposed action located in a municipality with an adopted zoning law or ordinance.  Yes  No  
If Yes, what is the zoning classification(s) including any applicable overlay district?

---

---

b. Is the use permitted or allowed by a special or conditional use permit?  Yes  No

c. Is a zoning change requested as part of the proposed action?  Yes  No

If Yes,

i. What is the proposed new zoning for the site? \_\_\_\_\_

### C.4. Existing community services.

a. In what school district is the project site located? \_\_\_\_\_

b. What police or other public protection forces serve the project site? \_\_\_\_\_

c. Which fire protection and emergency medical services serve the project site? \_\_\_\_\_

d. What parks serve the project site? \_\_\_\_\_

## D. Project Details

### D.1. Proposed and Potential Development

a. What is the general nature of the proposed action (e.g., residential, industrial, commercial, recreational; if mixed, include all components)? \_\_\_\_\_

b. a. Total acreage of the site of the proposed action? \_\_\_\_\_ acres

b. Total acreage to be physically disturbed? \_\_\_\_\_ acres

c. Total acreage (project site and any contiguous properties) owned or controlled by the applicant or project sponsor? \_\_\_\_\_ acres

c. Is the proposed action an expansion of an existing project or use?  Yes  No

i. If Yes, what is the approximate percentage of the proposed expansion and identify the units (e.g., acres, miles, housing units, square feet)? % \_\_\_\_\_ Units: \_\_\_\_\_

d. Is the proposed action a subdivision, or does it include a subdivision?  Yes  No

If Yes,

i. Purpose or type of subdivision? (e.g., residential, industrial, commercial; if mixed, specify types)

ii. Is a cluster/conservation layout proposed?  Yes  No

iii. Number of lots proposed? \_\_\_\_\_

iv. Minimum and maximum proposed lot sizes? Minimum \_\_\_\_\_ Maximum \_\_\_\_\_

e. Will the proposed action be constructed in multiple phases?  Yes  No

i. If No, anticipated period of construction: \_\_\_\_\_ months

ii. If Yes:

- Total number of phases anticipated \_\_\_\_\_
- Anticipated commencement date of phase 1 (including demolition) \_\_\_\_\_ month \_\_\_\_\_ year
- Anticipated completion date of final phase \_\_\_\_\_ month \_\_\_\_\_ year
- Generally describe connections or relationships among phases, including any contingencies where progress of one phase may determine timing or duration of future phases: \_\_\_\_\_  
\_\_\_\_\_

f. Does the project include new residential uses? If Yes, show numbers of units proposed.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Initial Phase At completion of all phases	<u>One Family</u> <u>Two Family</u> <u>Three Family</u> <u>Multiple Family (four or more)</u>
g. Does the proposed action include new non-residential construction (including expansions)? If Yes,	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Total number of structures _____	
ii. Dimensions (in feet) of largest proposed structure: _____ height; _____ width; and _____ length	
iii. Approximate extent of building space to be heated or cooled: _____ square feet	
h. Does the proposed action include construction or other activities that will result in the impoundment of any liquids, such as creation of a water supply, reservoir, pond, lake, waste lagoon or other storage? If Yes,	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Purpose of the impoundment: _____	
ii. If a water impoundment, the principal source of the water: _____	<input type="checkbox"/> Ground water <input type="checkbox"/> Surface water streams <input type="checkbox"/> Other specify: _____
iii. If other than water, identify the type of impounded/contained liquids and their source. _____	
iv. Approximate size of the proposed impoundment. Volume: _____ million gallons; surface area: _____ acres	
v. Dimensions of the proposed dam or impounding structure: _____ height; _____ length	
vi. Construction method/materials for the proposed dam or impounding structure (e.g., earth fill, rock, wood, concrete): _____	
<b>D.2. Project Operations</b>	
a. Does the proposed action include any excavation, mining, or dredging, during construction, operations, or both? (Not including general site preparation, grading or installation of utilities or foundations where all excavated materials will remain onsite) If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. What is the purpose of the excavation or dredging? _____	
ii. How much material (including rock, earth, sediments, etc.) is proposed to be removed from the site?	
• Volume (specify tons or cubic yards): _____	
• Over what duration of time? _____	
iii. Describe nature and characteristics of materials to be excavated or dredged, and plans to use, manage or dispose of them. _____	
iv. Will there be onsite dewatering or processing of excavated materials? If yes, describe. _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
v. What is the total area to be dredged or excavated? _____ acres	
vi. What is the maximum area to be worked at any one time? _____ acres	
vii. What would be the maximum depth of excavation or dredging? _____ feet	
viii. Will the excavation require blasting? ix. Summarize site reclamation goals and plan: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
b. Would the proposed action cause or result in alteration of, increase or decrease in size of, or encroachment into any existing wetland, waterbody, shoreline, beach or adjacent area? If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Identify the wetland or waterbody which would be affected (by name, water index number, wetland map number or geographic description): _____	

ii. Describe how the proposed action would affect that waterbody or wetland, e.g. excavation, fill, placement of structures, or alteration of channels, banks and shorelines. Indicate extent of activities, alterations and additions in square feet or acres:

---

---

---

iii. Will the proposed action cause or result in disturbance to bottom sediments?  Yes  No

If Yes, describe: \_\_\_\_\_

iv. Will the proposed action cause or result in the destruction or removal of aquatic vegetation?  Yes  No

If Yes:

- acres of aquatic vegetation proposed to be removed: \_\_\_\_\_
- expected acreage of aquatic vegetation remaining after project completion: \_\_\_\_\_
- purpose of proposed removal (e.g. beach clearing, invasive species control, boat access): \_\_\_\_\_
  
- proposed method of plant removal: \_\_\_\_\_
- if chemical/herbicide treatment will be used, specify product(s): \_\_\_\_\_

v. Describe any proposed reclamation/mitigation following disturbance: \_\_\_\_\_

c. Will the proposed action use, or create a new demand for water?  Yes  No

If Yes:

i. Total anticipated water usage/demand per day: \_\_\_\_\_ gallons/day

ii. Will the proposed action obtain water from an existing public water supply?  Yes  No

If Yes:

- Name of district or service area: \_\_\_\_\_  Yes  No
- Does the existing public water supply have capacity to serve the proposal?  Yes  No
- Is the project site in the existing district?  Yes  No
- Is expansion of the district needed?  Yes  No
- Do existing lines serve the project site?  Yes  No

iii. Will line extension within an existing district be necessary to supply the project?  Yes  No

If Yes:

- Describe extensions or capacity expansions proposed to serve this project: \_\_\_\_\_
- Source(s) of supply for the district: \_\_\_\_\_  Yes  No

iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Yes  No

If Yes:

- Applicant/sponsor for new district: \_\_\_\_\_
- Date application submitted or anticipated: \_\_\_\_\_
- Proposed source(s) of supply for new district: \_\_\_\_\_

v. If a public water supply will not be used, describe plans to provide water supply for the project: \_\_\_\_\_

vi. If water supply will be from wells (public or private), what is the maximum pumping capacity: \_\_\_\_\_ gallons/minute.

d. Will the proposed action generate liquid wastes?  Yes  No

If Yes:

i. Total anticipated liquid waste generation per day: \_\_\_\_\_ gallons/day

ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe all components and approximate volumes or proportions of each): \_\_\_\_\_

iii. Will the proposed action use any existing public wastewater treatment facilities?  Yes  No

If Yes:

- Name of wastewater treatment plant to be used: \_\_\_\_\_  Yes  No
- Name of district: \_\_\_\_\_  Yes  No
- Does the existing wastewater treatment plant have capacity to serve the project?  Yes  No
- Is the project site in the existing district?  Yes  No
- Is expansion of the district needed?  Yes  No

<ul style="list-style-type: none"> <li>• Do existing sewer lines serve the project site?</li> <li>• Will a line extension within an existing district be necessary to serve the project?</li> </ul> <p>If Yes:</p> <ul style="list-style-type: none"> <li>• Describe extensions or capacity expansions proposed to serve this project: _____</li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
<p>iv. Will a new wastewater (sewage) treatment district be formed to serve the project site?</p> <p>If Yes:</p> <ul style="list-style-type: none"> <li>• Applicant/sponsor for new district: _____</li> <li>• Date application submitted or anticipated: _____</li> <li>• What is the receiving water for the wastewater discharge? _____</li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>v. If public facilities will not be used, describe plans to provide wastewater treatment for the project, including specifying proposed receiving water (name and classification if surface discharge or describe subsurface disposal plans): _____</p>	
<p>vi. Describe any plans or designs to capture, recycle or reuse liquid waste: _____</p>	
<p>e. Will the proposed action disturb more than one acre and create stormwater runoff, either from new point sources (i.e. ditches, pipes, swales, curbs, gutters or other concentrated flows of stormwater) or non-point source (i.e. sheet flow) during construction or post construction?</p> <p>If Yes:</p> <ul style="list-style-type: none"> <li>i. How much impervious surface will the project create in relation to total size of project parcel?           <p>_____ Square feet or _____ acres (impervious surface)            _____ Square feet or _____ acres (parcel size)</p> </li> <li>ii. Describe types of new point sources. _____</li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>iii. Where will the stormwater runoff be directed (i.e. on-site stormwater management facility/structures, adjacent properties, groundwater, on-site surface water or off-site surface waters)? _____</p> <ul style="list-style-type: none"> <li>• If to surface waters, identify receiving water bodies or wetlands: _____</li> <li>• Will stormwater runoff flow to adjacent properties? _____</li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>iv. Does the proposed plan minimize impervious surfaces, use pervious materials or collect and re-use stormwater?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>f. Does the proposed action include, or will it use on-site, one or more sources of air emissions, including fuel combustion, waste incineration, or other processes or operations?</p> <p>If Yes, identify:</p> <ul style="list-style-type: none"> <li>i. Mobile sources during project operations (e.g., heavy equipment, fleet or delivery vehicles) _____</li> <li>ii. Stationary sources during construction (e.g., power generation, structural heating, batch plant, crushers) _____</li> <li>iii. Stationary sources during operations (e.g., process emissions, large boilers, electric generation) _____</li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>g. Will any air emission sources named in D.2.f (above), require a NY State Air Registration, Air Facility Permit, or Federal Clean Air Act Title IV or Title V Permit?</p> <p>If Yes:</p> <ul style="list-style-type: none"> <li>i. Is the project site located in an Air quality non-attainment area? (Area routinely or periodically fails to meet ambient air quality standards for all or some parts of the year) _____ <input type="checkbox"/> Yes <input type="checkbox"/> No</li> <li>ii. In addition to emissions as calculated in the application, the project will generate:           <ul style="list-style-type: none"> <li>• _____ Tons/year (short tons) of Carbon Dioxide (CO<sub>2</sub>)</li> <li>• _____ Tons/year (short tons) of Nitrous Oxide (N<sub>2</sub>O)</li> <li>• _____ Tons/year (short tons) of Perfluorocarbons (PFCs)</li> <li>• _____ Tons/year (short tons) of Sulfur Hexafluoride (SF<sub>6</sub>)</li> <li>• _____ Tons/year (short tons) of Carbon Dioxide equivalent of Hydroflourocabons (HFCs)</li> <li>• _____ Tons/year (short tons) of Hazardous Air Pollutants (HAPs)</li> </ul> </li> </ul>	<input type="checkbox"/> Yes <input type="checkbox"/> No

h. Will the proposed action generate or emit methane (including, but not limited to, sewage treatment plants, landfills, composting facilities)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Estimate methane generation in tons/year (metric): _____	
ii. Describe any methane capture, control or elimination measures included in project design (e.g., combustion to generate heat or electricity, flaring): _____	
 i. Will the proposed action result in the release of air pollutants from open-air operations or processes, such as quarry or landfill operations?	
<input type="checkbox"/> Yes <input type="checkbox"/> No	
If Yes: Describe operations and nature of emissions (e.g., diesel exhaust, rock particulates/dust): <hr/> <hr/>	
 j. Will the proposed action result in a substantial increase in traffic above present levels or generate substantial new demand for transportation facilities or services?	
<input type="checkbox"/> Yes <input type="checkbox"/> No	
If Yes:	
i. When is the peak traffic expected (Check all that apply): <input type="checkbox"/> Morning <input type="checkbox"/> Evening <input type="checkbox"/> Weekend <input type="checkbox"/> Randomly between hours of _____ to _____.	
ii. For commercial activities only, projected number of truck trips/day and type (e.g., semi trailers and dump trucks): _____	
 iii. Parking spaces: Existing _____ Proposed _____ Net increase/decrease _____	
iv. Does the proposed action include any shared use parking? <span style="float: right;">Yes <input type="checkbox"/> No</span>	
v. If the proposed action includes any modification of existing roads, creation of new roads or change in existing access, describe:	
vi. Are public/private transportation service(s) or facilities available within ½ mile of the proposed site? <input type="checkbox"/> Yes <input type="checkbox"/> No	
vii. Will the proposed action include access to public transportation or accommodations for use of hybrid, electric or other alternative fueled vehicles? <input type="checkbox"/> Yes <input type="checkbox"/> No	
viii. Will the proposed action include plans for pedestrian or bicycle accommodations for connections to existing pedestrian or bicycle routes? <input type="checkbox"/> Yes <input type="checkbox"/> No	
 k. Will the proposed action (for commercial or industrial projects only) generate new or additional demand for energy?	
<input type="checkbox"/> Yes <input type="checkbox"/> No	
If Yes:	
i. Estimate annual electricity demand during operation of the proposed action: _____	
ii. Anticipated sources/suppliers of electricity for the project (e.g., on-site combustion, on-site renewable, via grid/local utility, or other): <hr/>	
iii. Will the proposed action require a new, or an upgrade, to an existing substation? <span style="float: right;">Yes <input type="checkbox"/> No</span>	
 l. Hours of operation. Answer all items which apply.	
i. During Construction: <ul style="list-style-type: none"> <li>• Monday - Friday: _____</li> <li>• Saturday: _____</li> <li>• Sunday: _____</li> <li>• Holidays: _____</li> </ul>	
ii. During Operations: <ul style="list-style-type: none"> <li>• Monday - Friday: _____</li> <li>• Saturday: _____</li> <li>• Sunday: _____</li> <li>• Holidays: _____</li> </ul>	

m. Will the proposed action produce noise that will exceed existing ambient noise levels during construction, operation, or both?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes:	
i. Provide details including sources, time of day and duration:	_____
ii. Will the proposed action remove existing natural barriers that could act as a noise barrier or screen?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Describe: _____	
n. Will the proposed action have outdoor lighting?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes:	
i. Describe source(s), location(s), height of fixture(s), direction/aim, and proximity to nearest occupied structures:	_____
ii. Will proposed action remove existing natural barriers that could act as a light barrier or screen?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Describe: _____	
o. Does the proposed action have the potential to produce odors for more than one hour per day?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, describe possible sources, potential frequency and duration of odor emissions, and proximity to nearest occupied structures: _____	
p. Will the proposed action include any bulk storage of petroleum (combined capacity of over 1,100 gallons) or chemical products 185 gallons in above ground storage or any amount in underground storage?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Product(s) to be stored _____	_____
ii. Volume(s) _____ per unit time _____ (e.g., month, year)	_____
iii. Generally, describe the proposed storage facilities: _____	_____
q. Will the proposed action (commercial, industrial and recreational projects only) use pesticides (i.e., herbicides, insecticides) during construction or operation?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Describe proposed treatment(s):	_____
ii. Will the proposed action use Integrated Pest Management Practices?	<input type="checkbox"/> Yes <input type="checkbox"/> No
r. Will the proposed action (commercial or industrial projects only) involve or require the management or disposal of solid waste (excluding hazardous materials)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Describe any solid waste(s) to be generated during construction or operation of the facility:	_____
• Construction: _____ tons per _____ (unit of time)	_____
• Operation : _____ tons per _____ (unit of time)	_____
ii. Describe any proposals for on-site minimization, recycling or reuse of materials to avoid disposal as solid waste:	_____
• Construction: _____	_____
• Operation: _____	_____
iii. Proposed disposal methods/facilities for solid waste generated on-site:	_____
• Construction: _____	_____
• Operation: _____	_____

s. Does the proposed action include construction or modification of a solid waste management facility?

Yes  No

If Yes:

i. Type of management or handling of waste proposed for the site (e.g., recycling or transfer station, composting, landfill, or other disposal activities): \_\_\_\_\_

ii. Anticipated rate of disposal/processing:

- \_\_\_\_\_ Tons/month, if transfer or other non-combustion/thermal treatment, or
- \_\_\_\_\_ Tons/hour, if combustion or thermal treatment

iii. If landfill, anticipated site life: \_\_\_\_\_ years

t. Will the proposed action at the site involve the commercial generation, treatment, storage, or disposal of hazardous waste?  Yes  No

If Yes:

i. Name(s) of all hazardous wastes or constituents to be generated, handled or managed at facility: \_\_\_\_\_

ii. Generally describe processes or activities involving hazardous wastes or constituents: \_\_\_\_\_

iii. Specify amount to be handled or generated \_\_\_\_\_ tons/month

iv. Describe any proposals for on-site minimization, recycling or reuse of hazardous constituents: \_\_\_\_\_

v. Will any hazardous wastes be disposed at an existing offsite hazardous waste facility?  Yes  No

If Yes: provide name and location of facility: \_\_\_\_\_

If No: describe proposed management of any hazardous wastes which will not be sent to a hazardous waste facility: \_\_\_\_\_

## E. Site and Setting of Proposed Action

### E.1. Land uses on and surrounding the project site

a. Existing land uses.

i. Check all uses that occur on, adjoining and near the project site.

- Urban  Industrial  Commercial  Residential (suburban)  Rural (non-farm)  
 Forest  Agriculture  Aquatic  Other (specify): \_\_\_\_\_

ii. If mix of uses, generally describe:

b. Land uses and covertypes on the project site.

Land use or Covertype	Current Acreage	Acreage After Project Completion	Change (Acres +/-)
• Roads, buildings, and other paved or impervious surfaces			
• Forested			
• Meadows, grasslands or brushlands (non-agricultural, including abandoned agricultural)			
• Agricultural (includes active orchards, field, greenhouse etc.)			
• Surface water features (lakes, ponds, streams, rivers, etc.)			
• Wetlands (freshwater or tidal)			
• Non-vegetated (bare rock, earth or fill)			
• Other Describe: _____			

c. Is the project site presently used by members of the community for public recreation? i. If Yes: explain:	<input type="checkbox"/> Yes <input type="checkbox"/> No
d. Are there any facilities serving children, the elderly, people with disabilities (e.g., schools, hospitals, licensed day care centers, or group homes) within 1500 feet of the project site? If Yes,	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Identify Facilities:  <hr/> <hr/>	
e. Does the project site contain an existing dam? If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Dimensions of the dam and impoundment:	
• Dam height: _____	feet
• Dam length: _____	feet
• Surface area: _____	acres
• Volume impounded: _____	gallons OR acre-feet
ii. Dam's existing hazard classification: _____	
iii. Provide date and summarize results of last inspection:  <hr/> <hr/>	
f. Has the project site ever been used as a municipal, commercial or industrial solid waste management facility, or does the project site adjoin property which is now, or was at one time, used as a solid waste management facility? If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Has the facility been formally closed? • If yes, cite sources/documentation: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
ii. Describe the location of the project site relative to the boundaries of the solid waste management facility:  <hr/> <hr/>	
iii. Describe any development constraints due to the prior solid waste activities: _____  <hr/> <hr/>	
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Describe waste(s) handled and waste management activities, including approximate time when activities occurred:  <hr/> <hr/>	
h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site? If Yes:	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:	
<input type="checkbox"/> Yes – Spills Incidents database	Provide DEC ID number(s): _____
<input type="checkbox"/> Yes – Environmental Site Remediation database	Provide DEC ID number(s): _____
<input type="checkbox"/> Neither database	
ii. If site has been subject of RCRA corrective activities, describe control measures:  <hr/> <hr/>	
iii. Is the project within 2000 feet of any site in the NYSDEC Environmental Site Remediation database? If yes, provide DEC ID number(s): _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
iv. If yes to (i), (ii) or (iii) above, describe current status of site(s):  <hr/> <hr/>	

v. Is the project site subject to an institutional control limiting property uses?	<input type="checkbox"/> Yes <input type="checkbox"/> No
• If yes, DEC site ID number: _____	
• Describe the type of institutional control (e.g., deed restriction or easement): _____	
• Describe any use limitations: _____	
• Describe any engineering controls: _____	
• Will the project affect the institutional or engineering controls in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No
• Explain: _____ _____ _____	

## E.2. Natural Resources On or Near Project Site

a. What is the average depth to bedrock on the project site? _____ feet	
b. Are there bedrock outcroppings on the project site? If Yes, what proportion of the site is comprised of bedrock outcroppings? _____ %	<input type="checkbox"/> Yes <input type="checkbox"/> No
c. Predominant soil type(s) present on project site: _____ % _____ % _____ %	
d. What is the average depth to the water table on the project site? Average: _____ feet	
e. Drainage status of project site soils: <input type="checkbox"/> Well Drained: _____ % of site <input type="checkbox"/> Moderately Well Drained: _____ % of site <input type="checkbox"/> Poorly Drained: _____ % of site	
f. Approximate proportion of proposed action site with slopes: <input type="checkbox"/> 0-10%: _____ % of site <input type="checkbox"/> 10-15%: _____ % of site <input type="checkbox"/> 15% or greater: _____ % of site	
g. Are there any unique geologic features on the project site? If Yes, describe: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
h. Surface water features. i. Does any portion of the project site contain wetlands or other waterbodies (including streams, rivers, ponds or lakes)? ii. Do any wetlands or other waterbodies adjoin the project site? If Yes to either i or ii, continue. If No, skip to E.2.i. iii. Are any of the wetlands or waterbodies within or adjoining the project site regulated by any federal, state or local agency? iv. For each identified regulated wetland and waterbody on the project site, provide the following information: • Streams: Name _____ Classification _____ • Lakes or Ponds: Name _____ Classification _____ • Wetlands: Name _____ Approximate Size _____ • Wetland No. (if regulated by DEC) _____	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
v. Are any of the above water bodies listed in the most recent compilation of NYS water quality-impaired waterbodies? If yes, name of impaired water body/bodies and basis for listing as impaired: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. Is the project site in a designated Floodway? j. Is the project site in the 100-year Floodplain? k. Is the project site in the 500-year Floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
l. Is the project site located over, or immediately adjoining, a primary, principal or sole source aquifer? If Yes: i. Name of aquifer: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No



m. Identify the predominant wildlife species that occupy or use the project site:	   
n. Does the project site contain a designated significant natural community?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Describe the habitat/community (composition, function, and basis for designation):	   
ii. Source(s) of description or evaluation:	   
iii. Extent of community/habitat:	
• Currently: _____ acres	
• Following completion of project as proposed: _____ acres	
• Gain or loss (indicate + or -): _____ acres	
o. Does project site contain any species of plant or animal that is listed by the federal government or NYS as endangered or threatened, or does it contain any areas identified as habitat for an endangered or threatened species?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Species and listing (endangered or threatened):	   
p. Does the project site contain any species of plant or animal that is listed by NYS as rare, or as a species of special concern?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Species and listing:	   
q. Is the project site or adjoining area currently used for hunting, trapping, fishing or shell fishing?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes, give a brief description of how the proposed action may affect that use:	   
<b>E.3. Designated Public Resources On or Near Project Site</b>	
a. Is the project site, or any portion of it, located in a designated agricultural district certified pursuant to Agriculture and Markets Law, Article 25-AA, Section 303 and 304?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, provide county plus district name/number:	   
b. Are agricultural lands consisting of highly productive soils present?	<input type="checkbox"/> Yes <input type="checkbox"/> No
i. If Yes: acreage(s) on project site? _____	   
ii. Source(s) of soil rating(s): _____	   
c. Does the project site contain all or part of, or is it substantially contiguous to, a registered National Natural Landmark?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Nature of the natural landmark: <input type="checkbox"/> Biological Community <input type="checkbox"/> Geological Feature	
ii. Provide brief description of landmark, including values behind designation and approximate size/extent: _____	   
d. Is the project site located in or does it adjoin a state listed Critical Environmental Area?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. CEA name: _____	   
ii. Basis for designation: _____	   
iii. Designating agency and date: _____	   

e. Does the project site contain, or is it substantially contiguous to, a building, archaeological site, or district which is listed on the National or State Register of Historic Places, or that has been determined by the Commissioner of the NYS Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Places?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Nature of historic/archaeological resource: <input checked="" type="checkbox"/> Archaeological Site <input checked="" type="checkbox"/> Historic Building or District	
ii. Name: Washington Irving Memorial Bridge, Philipsburg Manor, Dutch Reformed Church, Sleepy Hollow Cemetery	
iii. Brief description of attributes on which listing is based:	
f. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
g. Have additional archaeological or historic site(s) or resources been identified on the project site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If Yes:	
i. Describe possible resource(s):	
ii. Basis for identification: SHPO	
h. Is the project site within five miles of any officially designated and publicly accessible federal, state, or local scenic or aesthetic resource?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
i. Identify resource:	
ii. Nature of, or basis for, designation (e.g., established highway overlook, state or local park, state historic trail or scenic byway, etc.):	
iii. Distance between project and resource: _____ miles.	
i. Is the project site located within a designated river corridor under the Wild, Scenic and Recreational Rivers Program 6 NYCRR 666?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
i. Identify the name of the river and its designation:	
ii. Is the activity consistent with development restrictions contained in 6NYCRR Part 666?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

#### F. Additional Information


Attach any additional information which may be needed to clarify your project.


If you have identified any adverse impacts which could be associated with your proposal, please describe those impacts plus any measures which you propose to avoid or minimize them.

#### G. Verification

I certify that the information provided is true to the best of my knowledge.

Applicant/Sponsor Name Timothy K. Judge Date 5/13/24

Signature  Title President and preparer, EcoAssessment



B.i.i [Coastal or Waterfront Area]	Yes
B.i.ii [Local Waterfront Revitalization Area]	Yes
C.2.b. [Special Planning District]	Yes - Digital mapping data are not available for all Special Planning Districts. Refer to EAF Workbook.
C.2.b. [Special Planning District - Name]	Remediation Sites:C360070B
E.1.h [DEC Spills or Remediation Site - Potential Contamination History]	Yes - Digital mapping data for Spills Incidents are not available for this location. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Listed]	Yes
E.1.h.i [DEC Spills or Remediation Site - Environmental Site Remediation Database]	Yes
E.1.h.i [DEC Spills or Remediation Site - DEC ID Number]	C360070B
E.1.h.iii [Within 2,000' of DEC Remediation Site]	Yes
E.1.h.iii [Within 2,000' of DEC Remediation Site - DEC ID]	360011, C360070, C360070B, 546031
E.2.g [Unique Geologic Features]	No
E.2.h.i [Surface Water Features]	Yes
E.2.h.ii [Surface Water Features]	Yes
E.2.h.iii [Surface Water Features]	Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook.
E.2.h.iv [Surface Water Features - Stream Name]	864-21, 864-24, 864-20
E.2.h.iv [Surface Water Features - Stream Classification]	C(T), B, SB
E.2.h.iv [Surface Water Features - Wetlands Name]	Federal Waters


E.2.h.v [Impaired Water Bodies]	No
E.2.i. [Floodway]	Yes
E.2.j. [100 Year Floodplain]	Yes
E.2.k. [500 Year Floodplain]	Yes
E.2.l. [Aquifers]	Yes
E.2.l. [Aquifer Names]	Principal Aquifer
E.2.n. [Natural Communities]	No
E.2.o. [Endangered or Threatened Species]	Yes
E.2.o. [Endangered or Threatened Species - Name]	Atlantic Sturgeon, Shortnose Sturgeon
E.2.p. [Rare Plants or Animals]	No
E.3.a. [Agricultural District]	No
E.3.c. [National Natural Landmark]	No
E.3.d [Critical Environmental Area]	Yes
E.3.d [Critical Environmental Area - Name]	Hudson River
E.3.d.ii [Critical Environmental Area - Reason]	Exceptional or unique character
E.3.d.iii [Critical Environmental Area – Date and Agency]	Agency:Westchester County, Date:1-31-90
E.3.e. [National or State Register of Historic Places or State Eligible Sites]	Yes - Digital mapping data for archaeological site boundaries are not available. Refer to EAF Workbook.
E.3.e.ii [National or State Register of Historic Places or State Eligible Sites - Name]	Eligible property:WASHINGTON IRVING MEMORIAL BRIDGE, Philipsburg Manor, Dutch Reformed Church, Sleepy Hollow Cemetery
E.3.f. [Archeological Sites]	Yes
E.3.i. [Designated River Corridor]	No

# Attachment

A

DRAFT

## Sleepy Hollow Topo Map in Westchester County New York

 [Print this map](#)

Map provided by TopoZone.com


# Attachment

B


DRAFT



# Philipsburg Manor Mill Pond Dredge Project Tax Map



# Philipsburg Manor Mill Pond Tax Map



# Attachment

C

DRAFT

# Philips Manor Dredge Project

Write a description for your map.

DREDGE PROJECT OVERVIEW

Headless Horseman Statue

Gordon




# Attachment

D

DRAFT

## NYSDEC Remediated Sites

Write a description for your map.







# Attachment

E

DRAFT

PHILIPSBURG MANOR DREDGING



NOTE(S):

1. CONDITION SURVEY PERFORMED BY RACE COASTAL ENGINEERING, PC (RACE) ON JULY 8, 2021.
2. HORIZONTAL AND VERTICAL POSITION OBTAINED USING REAL TIME KINETICS (RTK).
3. EARTH WORK PROCESSING USING CARLSON 2021 SOFTWARE.
4. COORDINATES REFER TO U.S. STATE PLANE COORDINATE SYSTEM, NAD 1983, NEW YORK EAST.
5. SITE ELEVATION BASED ON TOP OF DAM FROM DRAWING PREPARED BY TERRY BERGENDORFF COLLINS, TITLED "MAP OF SPOT ELEVATIONS, PREPARED FOR ABBOTT & PRICE AS PART OF BRIDGE & WHARF AT PHILIPSBURG MANOR, SITUATE IN VILLAGE OF SLEEPY HOLLOW" DATED JULY 30, 2019.
6. THE NGVD 29 TO NAVD88 CONVERSION FOR THIS PROJECT IS 1.09' PER NOAA VDATUM. NGVD 29 IS LOCATED BELOW NAVD88, THEREFORE THE CORRECTION SHOULD BE SUBTRACTED TO NGVD 29 TO CONVERT TO NAVD88.
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED, AND CAN ONLY BE CONSIDERED AS INDICATING CONDITIONS EXISTING AT THAT TIME.

REV	DATE	DESCRIPTION
<b>PROGRESS NOT FOR CONSTRUCTION</b>		
<b>RACE</b> <b>COASTAL ENGINEERING</b>		
611 Access Road Stratford, CT 06615 Tel.: 203-377-0663 racecoastal.com		
OWNERSHIP AND CONDITIONS OF USE:  Drawings and Specifications, as instruments of professional service, are and shall remain the property of RACE Coastal Engineering, PC. Documents are not to be used, in whole or in part, for any project or purpose other than those authorized in contract without specific written authorization of RACE Coastal Engineering, LLC. The use of this document is contingent upon payment to RACE Coastal Engineering, LLC for services rendered. Non-payment shall give RACE Coastal Engineering, LLC the authority to bar document use by any and all parties.		
THIS DRAWING IS COPYRIGHTED Prepared for HISTORIC HUDSON VALLEY 639 BEDFORD ROAD POCANTICO HILLS, NY 10591		
Project PHILIPSBURG MANOR POND DREDGING SLEEPY HOLLOW, NY 10591		
Drawing PROJECT NOTES		
Designed Job No.	Drawn Date	Checked Drawing No.
CBK 2021063	CBK 08/03/2021	CGE 1 of 1


NOT VALID WITHOUT ENGINEER'S SEAL

1 of 1

# Attachment

F

DRAFT



**WSP**

WSP USA INC.  
500 Summit Lake Drive, Suite 450  
Valhalla, NY 10595  
(914) 747-1120

LEADER OF RE

NEW STATE PROFESSIONAL ENG  
ING IS A VIOLATION OF SECTION 7-101  
OF THE PLANNING ACT

NY DEP

VISITORS




## SLEEPY HOLLOW EAST PARCEL PROJECT - PHASE II

VILLAGE OF SLEEPY HOLLOW  
WESTCHESTER COUNTY, NEW YORK

LINE 100' 100'

WING N N WING E E

OVERALL SITE PLAN



### LEGEND



UNDISTURBED AREA FOR HHV OVERFLOW  
PARKING (85,000 SF±)




UNDISTURBED AREA FOR VILLAGE DPW USE  
(150,000 SF±)



AREA FOR CONTRACTOR STAGING AND EQUIPMENT STORAGE.  
FOR AREAS OF ROUGH GRADING, SEE GRADING AND  
DRAINAGE PLANS. ALL AREAS WHERE EXISTING ASPHALT  
PAVEMENT IS REMOVED (ASSUME 12' DEPTH), FILL WITH  
MINIMUM 2' OF FILL MATERIAL FROM SURCHARGE



PROPOSED DRAINAGE SWALE AND TURF ESTABLISHMENT



LIMIT OF DISTURBANCE

### NOTE:

- EXISTING SIDING BALLAST STONE AND EXTRA MANHOLE RISER EXTENSIONS SHALL BE STORED FOR VILLAGE DPW USE. SPECIFIC STORAGE LOCATIONS TO BE DETERMINED BY THE ENGINEER.
- WORK FOR FINAL SANITARY SEWER AND TEMPORARY WATER MAIN HAVE BEEN PREVIOUSLY SUBMITTED TO THE DEPARTMENT OF HEALTH.


0 100 200  
SCALE IN FEET

# Attachment

G

DRAFT

# National Wetlands Map Philipsburg Manor Mill Pond



0 0.025 0.05 0.1 0.15 0.2  
Miles


Service Layer Credits: U.S. Fish and Wildlife Service, National Standards and Support Team, [wetlands\\_team@fws.gov](mailto:wetlands_team@fws.gov)  
Westchester County GIS

# Attachment

H

DRAFT

# FEMA Flood Insurance Rate Map Philipsburg Manor Mill Pond



# Attachment

I

DRAFT



**New York State  
Parks, Recreation and  
Historic Preservation**

**KATHY HOCHUL**  
Governor

**RANDY SIMONS**  
Commissioner *Pro Tempore*

May 8, 2024

Timothy Judge  
Principal  
Eco Assessment, LLC  
18 Maple Ave.  
Tarrytown, NY 10591

Re: USACE  
Philipsburg Manor Mill Pond dredge.  
381 N Broadway, Sleepy Hollow, NY 10591  
24PR03164  
NYSDEC 3-5534-00133/00004 (Previous Dredge 2000), NYSDEC 3-5534-00133/00009  
(Stream Disturbance for sediment borings)

Dear Timothy Judge:

Thank you for requesting the comments of the New York State Historic Preservation Office (SHPO). We have reviewed the provided documentation in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include other environmental impacts to New York State Parkland that may be involved in or near your project.

We note that the Philipsburg Manor Mill Pond is a contributing resource to the Philipsburg Manor which is listed in the State and National Registers of Historic Places. We further note there is an active preservation covenant on the property due to prior Environmental Protection Fund grant funding. We have reviewed the project description and the re-classification of sediments letter dated June 8, 2022, all submitted to our office on April 11, 2024. Based on that review, it is SHPO's opinion that the removal of sediment and debris, as described, will have No Adverse Effect on historic or archeological resources.

If you have any questions, you can e-mail me at the contact information below.

Sincerely,

A handwritten signature in black ink.

Mariana Staines  
Historic Site Restoration Coordinator  
[mariana.montesstaines@parks.ny.gov](mailto:mariana.montesstaines@parks.ny.gov)

cc: C. Vandrei – DEC

**Subject:** NY SHPO: Initial Consultation Submission AT9EFCOQG1CE Received  
**From:** New York State Parks CRIS Application <cris.web@parks.ny.gov>  
**Date:** 3/28/2024, 12:58 PM  
**To:** <judgetk@bestweb.net>

## Initial Submission Received

The New York State Historic Preservation Office (SHPO) has received the following initial submission.

**Initial Submission Token:** AT9EFCOQG1CE

**Project Type:** Consultation

**Project Name:** Philipsburg Manor Mill Pond dredge.

### New York State Historic Preservation Office

Peebles Island State Park, P.O. Box 189, Waterford, NY 12188-0189

518-237-8643 | <https://parks.ny.gov/shpo>

CRIS: <https://cris.parks.ny.gov>

**Are you registered to vote?** [Register to vote online today](#). Moved recently? Update your information with the NYS Board of Elections. Not sure if you're registered to vote? [Search your voter registration status](#).

### Who sent this email?

This email is a notification from the [New York State Cultural Resource Information System \(CRIS\)](#). CRIS is an online service administered by the [New York State Division for Historic Preservation](#), also known as the New York State Historic Preservation Office (SHPO), which is a division of [New York State Parks, Recreation & Historic Preservation](#).

This message pertains to a submission for a consultation project. Please see SHPO's [Environmental Review](#) web page for more information about the consultation process.

### Why did I receive this email?

The submission's contact list includes your email address.

### What do I need to do?

You do not need to take any action at this time. The submission is now in SHPO's processing queue.

### What will happen next?

If SHPO accepts your submission, you will receive an "Initial Submission Accepted" email notification and SHPO will begin reviewing the project. That email will include the new Project Number.

If SHPO needs more information to process your submission, you will receive an "Initial Submission Found Insufficient" email with the reviewer's comments. You may then revise the submission and resend it to SHPO.

### What else can I do?

Please see the following help topics for more information about managing initial submissions in CRIS:

- [How do I check the status of my initial submission?](#)
- [View an Initial Submission](#)
- [Continue or Edit an Existing Initial Submission](#)

### **Where can I get help?**

Please visit the CRIS Online Help System: <https://cris.parks.ny.gov/CRISHelp>

If you still have questions about CRIS, please contact CRIS Help at [CRISHelp@parks.ny.gov](mailto:CRISHelp@parks.ny.gov).

For any other questions, please call SHPO at 518-237-8643.

DRAFT

## 1. Contact Information

[ADD A NEW CONTACT](#)

First Name	Last Name	Organization	Email	Is Primary
<input type="text" value="TIMOTHY"/>	<input type="text" value="JUDGE"/>	<input type="text" value="EcoAssessment, LLC"/>	<input type="text" value="judgetk@bestweb.net"/>	<input checked="" type="checkbox"/> Yes
Contacts: 1				

### Contact Information Help

Enter the information for the primary contact person for this project. The accuracy of this information is extremely important as all communication and correspondence regarding the review of this project will be sent to them.

## 2. Project Overview

**Project Name\***  
  
220 characters remaining

**Project Description\***  
  
663 characters remaining

Involves Ground Disturbance\*  
 Previous Ground Disturbance on this Property

Please describe previous ground disturbance\*

[SAVE CHANGES](#) [FINISH LATER](#) [SUBMIT TO SHPO](#)

### Project Overview Help

Please enter information regarding the nature and extent of this project. This information will help SHPO understand your project at a glance. You may copy and paste text from a document into these fields.

One or More Buildings or Structures Present\*

Type of Permit/Approval

DEC for Stream Disturbance, DOS CZM, USACE NW3

3 characters remaining

Reference Number

e.g. FF-689765-A4

200 characters remaining

### 3. Agency Information

 [SELECT ADDITIONAL AGENCIES](#)

Agency Code	Agency Name	Agency Type	Primary Agency	MAKE PRIMARY	DELETE
<input type="checkbox"/> DEC	Department of Environmental Conservation	State	Yes		
<input type="checkbox"/> USACE	US Army Corps of Engineers	Federal	No		
<input type="checkbox"/> DOS	Department of State	State	No		

Agencies: 3

Agency Information Help

Select the agencies that are requiring you to perform a review with SHPO. The Primary Agency will be selected first. If both State and Federal agencies are involved, the Federal agency will be the primary.

### 4. Project-Level Attachments

 [ADD ATTACHMENT](#)

Name

NYSDEC Letter re classification of ediments

File Name

2024-03-28T12-16-10Philipsburg\_Manor\_Mill\_Pond.2022-06-08.Letter.pdf

EDIT DELETE

 [SAVE CHANGES](#)

 [FINISH LATER](#)

 [SUBMIT TO SHPO](#)

Project-Level Attachments Help

Project-level attachments are optional. Examples:

- Streetscapes
- Photo key maps
- Floor plans or sketches of existing and proposed conditions
- Specifications for proposed work, including methods and



Esri, Maxar, Earthstar Geographies, and the GIS User Community | Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

Powered by Esri

Project area is located in the following county:

Westchester

## 6. Built Resources

[ADD BUILT RESOURCE](#)

Name <input type="checkbox"/> Philipsburg Manor Grist Mill	Property Address 381 N Broadway	Municipality Sleepy Hollow	Built Resources: 1
		<a data-bbox="2230 1111 2428 1134" href="#">EDIT</a> <a data-bbox="2428 1111 2494 1134" href="#">DELETE</a>	
<a data-bbox="2362 1389 2626 1419" href="#"> SAVE CHANGES</a> <a data-bbox="2692 1389 2990 1419" href="#"> FINISH LATER</a> <a data-bbox="3023 1389 3287 1419" href="#"> SUBMIT TO SHPO</a>			

### Built Resources Help

Please enter information on buildings or structures that are located within your project area. Only one property can be added at a time.

# Attachment

J

DRAFT

# NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Materials Management, Region 3  
21 South Putt Corners Road, New Paltz, NY 12561-1620  
P: (845) 256-3000 | F: (845) 255-3414  
[www.dec.ny.gov](http://www.dec.ny.gov)

June 8, 2022

Timothy Judge  
EcoAssesment LLC  
250 Highland Avenue  
Sleepy Hollow NY 10591

## RE: Philipsburg Manor Mill Pond, Sleepy Hollow, Westchester County


Dear Timothy Judge,

Solid Waste staff has finished its review of the analytical results for samples in support of the removal of a total of approximately 21,000 cubic yards of sediment from the Philipsburg Manor Mill Pond, Sleepy Hollow, Westchester County.

The Division of Materials Management has determined that the sampling results fall below the maximum concentration levels identified in Part 360.13(f) Table 2 for the pre-determined beneficial use for "General Fill". Therefore, the sediments removed from the pond once properly de-watered can be used in accordance with Table 2 as "General Fill" which states: *"Any setting where the fill material meets the engineering criteria, for, use, except on undeveloped land and agricultural crop land"*.

You are reminded that all applicable local, state and federal permits must be in place before dredging occurs. If you have any questions regarding this matter, please do not hesitate to call me at (845) 256-3134.

Sincerely,



Lee E. Reiff  
Region 3, Division of Materials Management

Ecc  
D. Pollock, DMM Region 3

# Attachment

K

DRAFT

# NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Materials Management, Region 3  
21 South Putt Corners Road, New Paltz, NY 12561-1620  
P: (845) 256-3000 | F: (845) 255-3414  
[www.dec.ny.gov](http://www.dec.ny.gov)

October 15, 2021

Timothy Judge  
EcoAssesment LLC  
250 Highland Avenue  
Sleepy Hollow NY 10591

## RE: Sediment Sampling and Analysis Plan, Philipsburg Manor Mill Pond, Sleepy Hollow, Westchester County


Dear Timothy Judge,

Solid Waste staff has finished its review of the Sediment Sampling and Analysis Plan prepared by EcoAssesment LLC in support of the removal of a total of approximately 21,000 cubic yards of sediment from the Philipsburg Manor Mill Pond, Sleepy Hollow, Westchester County.

The Solid Waste Program has determined that the proposed sampling plan is sufficient and will properly characterize the proposed excavated sediments as to its quality and their upland management options. The Solid Waste Program is hereby approving the plan as submitted.

If you have any questions regarding this matter, please do not hesitate to call me at (845) 256-3134.

Sincerely,



Lee E. Reiff  
Region 3, Division of Materials Management

Ecc  
D. Pollock, DMM Region 3



12 October 2021

Via Electronic Mail

Mr. Lee Reiff  
Environmental Program Specialist  
Department of Materials Management  
NYSDEC, Region 3  
21 South Putt Corners Rd.  
New Paltz, NY 12561-1696

Re: Proposed Sediment Sampling and Analysis Plan  
Philipsburg Manor Mill Pond, Sleepy Hollow

Dear Mr. Reiff:

Historic Hudson Valley (HHV), the owner and operator of the Philipsburg Manor historical site is seeking a permit to dredge the mill pond on the Pocantico River in Sleepy Hollow, Westchester County, New York.

The mill pond had temporary fill placed behind the existing dam during a major restoration of the dam undertaken in 2003, and the pond has accumulated additional sediment since that time. The recent passing of Hurricane Ida overwhelmed the the mill pond, more debris and sediment was accumulated and further reduced the hydraulic storage capacity of the pond to help mitigate flooding on the tidal section of the Pocantico River downstream of the dam.

In preparation for the submission of a permit to dredge a non-tidal section of the Pocantico River upstream of the dam, HHV is proposing a Sediment Sampling and Analysis Plan and a Generic Beneficial Use Determination for the sediments. HHV is planning to keep the water levels in the mill pond low, to allow for the mechanical removal of the sediments and debris.

The attached documentation provides the information about the project as detailed in the on the NYSDEC web pages for *Designing A Dredging Sediment Sampling and Analysis Plan*, and the *Checklist for BUD Submissions*.

Please let me know if you need additional information or have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy K. Judge".  
Timothy K. Judge  
President, EcoAssessment, LLC

**Environmental Permitting and Ecological Assessment**

EcoAssessment, LLC  
18 Maple Ave., Tarrytown, NY 10591  
845-222-6135 [judget@alum.rpi.edu](mailto:judget@alum.rpi.edu)

**Project Name:** Philipsburg Manor Mill Pond Dredge Project

**Owner:** Historic Hudson Valley

**Source Location:** 381 N. Broadway, Sleepy Hollow, NY 10591

**Project Agent:** EcoAssessment, LLC, Tim Judge, 18 Maple Ave., Tarrytown, NY 10591

845-222-6135 [judget@alum.rpi.edu](mailto:judget@alum.rpi.edu)

**Project Description:** Removal of up to 21,300 CY of sediment and debris to return the pond to a depth of five feet below the dam spillway. The pond was last dredged in 2003 and sediment sampling was last done in 1997 (chemical) and 1998 (grain size analysis).





The sediment and debris is from the Pocantico River watershed, and some fill was deposited behind the dam during reconstruction.

The pond was surveyed on August 8, 2021 and is attached.

The area is approximately 10,500 SY and using Balduck's Method eight core samples will be taken and paired for compositing and analysis.

Note: The SSAP was revised 10/13/2021 after discussion with L Reiff, NYSDEC R3 to increase the number of core samples from six to eight.

PHILIPSBURG MANOR DREDGING



**NOTE(S):**


1. CONDITION SURVEY PERFORMED BY RACE COASTAL ENGINEERING, PC (RACE) ON JULY 8, 2021.
2. HORIZONTAL AND VERTICAL POSITION OBTAINED USING REAL TIME KINETICS (RTK).
3. EARTH WORK PROCESSING USING CARLSON 2021 SOFTWARE.
4. COORDINATES REFER TO U.S. STATE PLANE COORDINATE SYSTEM, NAD 1983, NEW YORK EAST.
5. SITE ELEVATION BASED ON TOP OF DAM FROM DRAWING PREPARED BY TERRY BERGENDORFF COLLINS, TITLED "MAP OF SPOT ELEVATIONS, PREPARED FOR ABBOTT & PRICE AS PART OF BRIDGE & WHARF, AT PHILIPSBURG MANOR, SITUATE IN VILLAGE OF SLEEPY HOLLOW" DATED JULY 30, 2019.
6. THE NGVD 29 TO NAVD88 CONVERSION FOR THIS PROJECT IS 1.09' PER NOAA VDATUM. NGVD 29 IS LOCATED BELOW NAVD88, THEREFORE THE CORRECTION SHOULD BE SUBTRACTED TO NGVD 29 TO CONVERT TO NAVD88.
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED, AND CAN ONLY BE CONSIDERED AS INDICATING CONDITIONS EXISTING AT THAT TIME.

REV	DATE	DESCRIPTION
<b>PROGRESS NOT FOR CONSTRUCTION</b>		
<b>RACE</b> COASTAL ENGINEERING		
611 Access Road Stratford, CT 06615 Tel.: 203-377-0663 racecoastal.com		
OWNERSHIP AND CONDITIONS OF USE: <small>Drawings and Specifications, as instruments of professional service, are and shall remain the property of RACE Coastal Engineering, PC. Documents are not to be used, in whole or in part, for any project or purpose other than those authorized or contracted without specific written authorization of RACE Coastal Engineering, LLC. The use of this document is contingent upon payment to RACE Coastal Engineering, LLC for services rendered. Non-payment shall give RACE Coastal Engineering, LLC the authority to bar document use by any and all parties.</small>		
THIS DRAWING IS COPYRIGHTED Prepared for HISTORIC HUDSON VALLEY 639 BEDFORD ROAD POCANTICO HILLS, NY 10591		
Project PHILIPSBURG MANOR POND DREDGING SLEEPY HOLLOW, NY 10591		
Drawing PROJECT NOTES		
Designed Job No.	Drawn Date	Checked Drawing No. 1 of 1
CBK 2021063	CBK 08/03/2021	CGE

NOT VALID WITHOUT ENGINEER'S SEAL

1

## Sleepy Hollow Topo Map in Westchester County New York

 [Print this map](#)

Map provided by TopoZone.com

Philipsburg Manor Mill Pond Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Volatiles**

1,1,1,2-Tetrachloroethane  
1,1,1-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,1,2-Trichloroethane  
1,1-Dichloroethane  
1,1-Dichloroethene  
1,1-Dichloropropene  
1,2,3-Trichlorobenzene  
1,2,3-Trichloropropane  
1,2,4-Trichlorobenzene  
1,2,4-Trimethylbenzene  
1,2-Dibromo-3-chloropropane  
1,2-Dibromoethane  
1,2-Dichlorobenzene  
1,2-Dichloroethane  
1,2-Dichloropropane  
1,3,5-Trimethylbenzene  
1,3-Dichlorobenzene  
1,3-Dichloropropane  
1,4-Dichlorobenzene  
2,2-Dichloropropane  
2-Chlorotoluene  
2-Hexanone  
2-Isopropyltoluene  
4-Chlorotoluene  
4-Methyl-2-pentanone  
Acetone  
Acrylonitrile  
Benzene  
Bromobenzene  
Bromochloromethane  
Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon Disulfide  
Carbon tetrachloride  
Chlorobenzene  
Chloroethane  
Chloroform  
Chloromethane  
cis-1,2-Dichloroethene  
cis-1,3-Dichloropropene  
Dibromochloromethane  
Dibromomethane  
Dichlorodifluoromethane  
Ethylbenzene  
Hexachlorobutadiene  
Isopropylbenzene  
m&p-Xylene  
Methyl Ethyl Ketone  
Methyl t-butyl ether (MTBE)  
Methylene chloride  
Naphthalene  
n-Butylbenzene  
n-Propylbenzene  
o-Xylene  
p-Isopropyltoluene  
sec-Butylbenzene  
Styrene  
tert-Butylbenzene  
Tetrachloroethene  
Tetrahydrofuran (THF)  
Toluene  
Total Xylenes  
trans-1,2-Dichloroethene  
trans-1,3-Dichloropropene  
trans-1,4-dichloro-2-butene  
Trichloroethene  
Trichlorofluoromethane  
Trichlorotrifluoroethane  
Vinyl chloride

Philipsburg Manor Mill Pond Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Semi-volatiles**

1,2,4,5-Tetrachlorobenzene	Benzo(k)fluoranthene
1,2,4-Trichlorobenzene	Benzoic acid
1,2-Dichlorobenzene	Benzyl butyl phthalate
1,2-Diphenylhydrazine	Bis(2-chloroethoxy)methane
1,3-Dichlorobenzene	Bis(2-chloroethyl)ether
1,4-Dichlorobenzene	Bis(2-chloroisopropyl)ether
2,4,5-Trichlorophenol	Bis(2-ethylhexyl)phthalate
2,4,6-Trichlorophenol	Carbazole
2,4-Dichlorophenol	Chrysene
2,4-Dimethylphenol	Dibenz(a,h)anthracene
2,4-Dinitrophenol	Dibenzofuran
2,4-Dinitrotoluene	Diethyl phthalate
2,6-Dinitrotoluene	Dimethylphthalate
2-Chloronaphthalene	Di-n-butylphthalate
2-Chlorophenol	Di-n-octylphthalate
2-Methylnaphthalene	Fluoranthene
2-Methylphenol (o-cresol)	Fluorene
2-Nitroaniline	Hexachlorobenzene
2-Nitrophenol	Hexachlorobutadiene
3&4-Methylphenol (m&p-cresol)	Hexachlorocyclopentadiene
3,3'-Dichlorobenzidine	Hexachloroethane
3-Nitroaniline	Indeno(1,2,3-cd)pyrene
4,6-Dinitro-2-methylphenol	Isophorone
4-Bromophenyl phenyl ether	Naphthalene
4-Chloro-3-methylphenol	Nitrobenzene
4-Chloroaniline	N-Nitrosodimethylamine
4-Chlorophenyl phenyl ether	N-Nitrosodi-n-propylamine
4-Nitroaniline	N-Nitrosodiphenylamine
4-Nitrophenol	Pentachloronitrobenzene
Acenaphthene	Pentachlorophenol
Acenaphthylene	Phenanthrene
Acetophenone	Phenol
Aniline	Pyrene
Anthracene	Pyridine
Benz(a)anthracene	
Benzidine	
Benzo(a)pyrene	
Benzo(b)fluoranthene	
Benzo(ghi)perylene	

Philipsburg Manor Mill Pond Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Pesticides**

4,4' -DDD  
4,4' -DDE  
4,4' -DDT  
a-BHC  
a-Chlordane  
Aldrin  
b-BHC  
Chlordane  
d-BHC  
Dieldrin  
Endosulfan I  
Endosulfan II  
Endosulfan sulfate  
Endrin  
Endrin aldehyde  
Endrin ketone  
g-BHC  
g-Chlordane  
Heptachlor  
Heptachlor epoxide  
Methoxychlor  
Toxaphene

**Chlorinated Herbicides**

2,4,5-T  
2,4,5-TP (Silvex)  
2,4-D  
2,4-DB  
Dalapon  
Dicamba  
Dichloroprop  
Dinoseb

**1,4-dioxane**

1,4-dioxane

**Metals**

Arsenic  
Barium  
Beryllium  
Cadmium  
Chromium  
Copper  
Lead  
Manganese  
Mercury  
Nickel  
Selenium  
Silver  
Trivalent Chromium  
Zinc

**PCBs**

PCB-1016  
PCB-1221  
PCB-1232  
PCB-1242  
PCB-1248  
PCB-1254  
PCB-1260  
PCB-1262  
PCB-1268

**Miscellaneous/Inorganics**

Percent Solid  
Chromium, Hexavalent  
pH - Soil  
Redox Potential  
Total Cyanide (SW9010C Distill.)

# Attachment

L

DRAFT



Friday, May 20, 2022

Attn: Mr. Tim Judge  
EcoAssessment, LLC  
18 Maple Ave  
Tarrytown, NY 10591

Project ID: PHILIPSBURGH MANOR MILL POND  
SDG ID: GCL29292  
Sample ID#s: CL29292 - CL29295

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #M-CT007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
UT Lab Registration #CT00007  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## SDG Comments

May 20, 2022

SDG I.D.: GCL29292

---

CL29292 - Client provided soil jar for volatile analysis. Phoenix prepared sample per method 5035.

CL29293 - Client provided soil jar for volatile analysis. Phoenix prepared sample per method 5035.

CL29294 - Client provided soil jar for volatile analysis. Phoenix prepared sample per method 5035.

CL29295 - Client provided soil jar for volatile analysis. Phoenix prepared sample per method 5035.

DRAFT



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## Sample Id Cross Reference

May 20, 2022

SDG I.D.: GCL29292

Project ID: PHILIPSBURGH MANOR MILL POND

---

Client Id	Lab Id	Matrix
HHV C1-220220511	CL29292	SEDIMENT
HHV C3-220220511	CL29293	SEDIMENT
HHV C5-6-220220511	CL29294	SEDIMENT
HHV C7-8-220220511	CL29295	SEDIMENT

DRAFT



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Report

May 20, 2022

FOR: Attn: Mr. Tim Judge  
 EcoAssessment, LLC  
 18 Maple Ave  
 Tarrytown, NY 10591

### Sample Information

Matrix: SEDIMENT  
 Location Code: ECOASSESS  
 Rush Request: Standard  
 P.O.#:

### Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

Time

05/11/22 13:30  
 05/12/22 15:30

SDG ID: GCL29292

Phoenix ID: CL29292

Project ID: PHILIPSBURGH MANOR MILL POND  
 Client ID: HHV C1-220220511

### Laboratory Data

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Silver	< 0.55	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Arsenic	2.4	1.1		mg/Kg	1	05/13/22	EK	SW6010D
Barium	102	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Beryllium	< 0.44	0.44		mg/Kg	1	05/13/22	EK	SW6010D
Cadmium	1.14	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Chromium	23.7	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Copper	31.4	1.1		mg/kg	1	05/13/22	EK	SW6010D
Mercury	< 0.04	0.04		mg/Kg	1	05/18/22	IE	SW7471B
Manganese	386	5.5		mg/Kg	10	05/16/22	CPP	SW6010D
Nickel	20.5	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Lead	23.8	0.55		mg/Kg	1	05/13/22	EK	SW6010D
Selenium	< 2.2	2.2		mg/Kg	1	05/13/22	EK	SW6010D
Trivalent Chromium	23.7	0.55		mg/kg	1	05/19/22		CALC 6010-7196
Zinc	77.2	1.1		mg/Kg	1	05/13/22	EK	SW6010D
Percent Solid	61			%		05/12/22	K	SW846-%Solid
Chromium, Hex. (SW3060 digestion)	< 0.56	0.56		mg/Kg	1	05/19/22	EG	SW7196A
pH at 25C - Soil	6.56	1.00		pH Units	1	05/12/22 23:41	ER	SW846 9045D
Redox Potential	-119			mV	1	05/12/22	ER	SM2580B-09
Total Cyanide (SW9010C Distill.)	< 0.82	0.82		mg/Kg	1	05/17/22	M/B/G	SW9012B
Extraction for SVOA SIM	Completed					05/13/22	O/L	SW3545A
Soil Extraction for PCB	Completed					05/12/22	O/Y	SW3545A
Soil Extraction for Pesticide	Completed					05/12/22	O/Y	SW3545A
Field Extraction	Completed					05/11/22		SW5035A
Mercury Digestion	Completed					05/16/22	KL/KL	SW7471B
Soil Extraction for SVOA	Completed					05/16/22	I	SW3546
Soil Extraction for Herbicide	Completed					05/16/22	M/D	SW3550C
Total Metals Digest	Completed					05/12/22	M/AG	SW3050B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<b><u>Chlorinated Herbicides</u></b>								
2,4,5-T	ND	140		ug/Kg	10	05/17/22	JRB	SW8151A
2,4,5-TP (Silvex)	ND	140		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-D	ND	270		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-DB	ND	2700		ug/Kg	10	05/17/22	JRB	SW8151A
Dalapon	ND	140		ug/Kg	10	05/17/22	JRB	SW8151A
Dicamba	ND	140		ug/Kg	10	05/17/22	JRB	SW8151A
Dichloroprop	ND	270		ug/Kg	10	05/17/22	JRB	SW8151A
Dinoseb	ND	270		ug/Kg	10	05/17/22	JRB	SW8151A
<b><u>QA/QC Surrogates</u></b>								
% DCAA	88			%	10	05/17/22	JRB	30 - 150 %
% DCAA (Confirmation)	87			%	10	05/17/22	JRB	30 - 150 %
<b><u>Polychlorinated Biphenyls</u></b>								
PCB-1016	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1221	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1232	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1242	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1248	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1254	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1260	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1262	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1268	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
<b><u>QA/QC Surrogates</u></b>								
% DCBP	69			%	10	05/14/22	KCA	30 - 150 %
% DCBP (Confirmation)	60			%	10	05/14/22	KCA	30 - 150 %
% TCMX	52			%	10	05/14/22	KCA	30 - 150 %
% TCMX (Confirmation)	55			%	10	05/14/22	KCA	30 - 150 %
<b><u>Pesticides - Soil</u></b>								
4,4' -DDD	ND	3.2		ug/Kg	2	05/15/22	AW	SW8081B
4,4' -DDE	ND	3.2		ug/Kg	2	05/15/22	AW	SW8081B
4,4' -DDT	ND	3.2		ug/Kg	2	05/15/22	AW	SW8081B
a-BHC	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
a-Chlordane	ND	5.4		ug/Kg	2	05/15/22	AW	SW8081B
Aldrin	ND	5.4		ug/Kg	2	05/15/22	AW	SW8081B
b-BHC	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Chlordane	ND	54		ug/Kg	2	05/15/22	AW	SW8081B
d-BHC	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Dieldrin	ND	5.4		ug/Kg	2	05/15/22	AW	SW8081B
Endosulfan I	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Endosulfan II	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Endosulfan sulfate	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Endrin	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Endrin aldehyde	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Endrin ketone	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
g-BHC	ND	2.2		ug/Kg	2	05/15/22	AW	SW8081B
g-Chlordane	ND	5.4		ug/Kg	2	05/15/22	AW	SW8081B
Heptachlor	ND	11		ug/Kg	2	05/15/22	AW	SW8081B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Heptachlor epoxide	ND	11		ug/Kg	2	05/15/22	AW	SW8081B
Methoxychlor	ND	54		ug/Kg	2	05/15/22	AW	SW8081B
Toxaphene	ND	220		ug/Kg	2	05/15/22	AW	SW8081B
<b><u>QA/QC Surrogates</u></b>								
% DCBP	40			%	2	05/15/22	AW	30 - 150 %
% DCBP (Confirmation)	31			%	2	05/15/22	AW	30 - 150 %
% TCMX	48			%	2	05/15/22	AW	30 - 150 %
% TCMX (Confirmation)	46			%	2	05/15/22	AW	30 - 150 %
<b><u>Volatiles</u></b>								
1,1,1,2-Tetrachloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,1-Trichloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2,2-Tetrachloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2-Trichloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloropropene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichloropropane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trichlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trimethylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromo-3-chloropropane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromoethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloropropane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,3,5-Trimethylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichloropropane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
1,4-Dichlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
2,2-Dichloropropane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
2-Chlorotoluene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
2-Hexanone	ND	L	41	ug/Kg	1	05/13/22	JLI	SW8260C
2-Isopropyltoluene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
4-Chlorotoluene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
4-Methyl-2-pentanone	ND	L	41	ug/Kg	1	05/13/22	JLI	SW8260C
Acetone	49	SL	41	ug/Kg	1	05/13/22	JLI	SW8260C
Acrylonitrile	ND	L	16	ug/Kg	1	05/13/22	JLI	SW8260C
Benzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Bromobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Bromochloromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Bromodichloromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Bromoform	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Bromomethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon Disulfide	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon tetrachloride	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Chlorobenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroform	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Chloromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
cis-1,2-Dichloroethene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
cis-1,3-Dichloropropene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromochloromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromomethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Dichlorodifluoromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Ethylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Hexachlorobutadiene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Isopropylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
m&p-Xylene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl Ethyl Ketone	ND	L	41	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl t-butyl ether (MTBE)	ND	L	16	ug/Kg	1	05/13/22	JLI	SW8260C
Methylene chloride	ND	L	16	ug/Kg	1	05/13/22	JLI	SW8260C
Naphthalene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
n-Butylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
n-Propylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
o-Xylene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
p-Isopropyltoluene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
sec-Butylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Styrene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
tert-Butylbenzene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrachloroethene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrahydrofuran (THF)	ND	L	16	ug/Kg	1	05/13/22	JLI	SW8260C
Toluene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Total Xylenes	ND		8.1	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,2-Dichloroethene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,3-Dichloropropene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,4-dichloro-2-butene	ND	L	16	ug/Kg	1	05/13/22	JLI	SW8260C
Trichloroethene	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorofluoromethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorotrifluoroethane	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
Vinyl chloride	ND	L	8.1	ug/Kg	1	05/13/22	JLI	SW8260C
<b><u>QA/QC Surrogates</u></b>								
% 1,2-dichlorobenzene-d4	94			%	1	05/13/22	JLI	70 - 130 %
% Bromofluorobenzene	98			%	1	05/13/22	JLI	70 - 130 %
% Dibromofluoromethane	100			%	1	05/13/22	JLI	70 - 130 %
% Toluene-d8	97			%	1	05/13/22	JLI	70 - 130 %
<b><u>Semivolatiles</u></b>								
1,2,4,5-Tetrachlorobenzene	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
1,2,4-Trichlorobenzene	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Dichlorobenzene	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Diphenylhydrazine	ND		810	ug/Kg	1	05/17/22	WB	SW8270D
1,3-Dichlorobenzene	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
1,4-Dichlorobenzene	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,2'-Oxybis(1-Chloropropane)	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,4,5-Trichlorophenol	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,4,6-Trichlorophenol	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dichlorophenol	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dimethylphenol	ND		560	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dinitrophenol	ND		810	ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
2,4-Dinitrotoluene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2,6-Dinitrotoluene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2-Chloronaphthalene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2-Chlorophenol	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylnaphthalene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylphenol (o-cresol)	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitroaniline	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitrophenol	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
3&4-Methylphenol (m&p-cresol)	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
3,3'-Dichlorobenzidine	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
3-Nitroaniline	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
4,6-Dinitro-2-methylphenol	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
4-Bromophenyl phenyl ether	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloro-3-methylphenol	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloroaniline	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
4-Chlorophenyl phenyl ether	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitroaniline	ND	1300		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitrophenol	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthylene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Acetophenone	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Aniline	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Anthracene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benz(a)anthracene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzidine	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(a)pyrene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(b)fluoranthene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(ghi)perylene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(k)fluoranthene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Benzoic acid	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Benzyl butyl phthalate	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethoxy)methane	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethyl)ether	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-ethylhexyl)phthalate	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Carbazole	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Chrysene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Dibenz(a,h)anthracene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Dibenzofuran	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Diethyl phthalate	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Dimethylphthalate	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-butylphthalate	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-octylphthalate	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Fluoranthene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Fluorene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobenzene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobutadiene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorocyclopentadiene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Hexachloroethane	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Indeno(1,2,3-cd)pyrene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Isophorone	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Naphthalene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Nitrobenzene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodimethylamine	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodi-n-propylamine	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodiphenylamine	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Pentachloronitrobenzene	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Pentachlorophenol	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
Phenanthrene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Phenol	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Pyrene	ND	560		ug/Kg	1	05/17/22	WB	SW8270D
Pyridine	ND	810		ug/Kg	1	05/17/22	WB	SW8270D
<b>QA/QC Surrogates</b>								
% 2,4,6-Tribromophenol	44			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorobiphenyl	37			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorophenol	40			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	39			%	1	05/17/22	WB	30 - 130 %
% Phenol-d5	40			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	40			%	1	05/17/22	WB	30 - 130 %
<b>1,4-Dioxane</b>								
1,4-dioxane	ND	110	110	ug/Kg	1	05/17/22	WB	SW8270D (SIM)
<b>QA/QC Surrogates</b>								
% 2-Fluorobiphenyl	55			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	60			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	72			%	1	05/17/22	WB	30 - 130 %

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------------	-------	----------	-----------	----	-----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

### **Comments:**

Per 1.4.6 of EPA method 8270D, 1,2-Diphenylhydrazine is unstable and readily converts to Azobenzene. Azobenzene is used for the calibration of 1,2-Diphenylhydrazine.

The regulatory hold time for pH is immediately. This pH was performed in the laboratory and may be considered outside of hold-time.

Volatile Comment:

L flag signifies that this sample was not collected in accordance with EPA method 5035. NELAC requires the laboratory to qualify the volatile soil data as biased low.


Hexavalent Chromium:

This sample is in a reducing state.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

S - Laboratory solvent, contamination is possible.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

May 20, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Report

May 20, 2022

FOR: Attn: Mr. Tim Judge  
 EcoAssessment, LLC  
 18 Maple Ave  
 Tarrytown, NY 10591

### Sample Information

Matrix: SEDIMENT  
 Location Code: ECOASSESS  
 Rush Request: Standard  
 P.O.#:

### Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

Time

05/11/22 13:47  
 05/12/22 15:30

SDG ID: GCL29292

Phoenix ID: CL29293

Project ID: PHILIPSBURGH MANOR MILL POND  
 Client ID: HHV C3-220220511

### Laboratory Data

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Silver	< 0.66	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Arsenic	2.6	1.3		mg/Kg	1	05/13/22	EK	SW6010D
Barium	125	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Beryllium	< 0.53	0.53		mg/Kg	1	05/13/22	EK	SW6010D
Cadmium	1.26	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Chromium	23.7	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Copper	36.9	1.3		mg/kg	1	05/13/22	EK	SW6010D
Mercury	0.05	0.04		mg/Kg	1	05/18/22	IE	SW7471B
Manganese	468	6.6		mg/Kg	10	05/16/22	CPP	SW6010D
Nickel	21.2	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Lead	25.6	0.66		mg/Kg	1	05/13/22	EK	SW6010D
Selenium	< 2.6	2.6		mg/Kg	1	05/13/22	EK	SW6010D
Trivalent Chromium	23.7	0.66		mg/kg	1	05/19/22		CALC 6010-7196
Zinc	85.2	1.3		mg/Kg	1	05/13/22	EK	SW6010D
Percent Solid	54			%		05/12/22	K	SW846-%Solid
Chromium, Hex. (SW3060 digestion)	< 0.62	0.62		mg/Kg	1	05/19/22	EG	SW7196A
pH at 25C - Soil	6.63	1.00		pH Units	1	05/12/22 23:41	ER	SW846 9045D
Redox Potential	-183			mV	1	05/12/22	ER	SM2580B-09
Total Cyanide (SW9010C Distill.)	< 0.84	0.84		mg/Kg	1	05/17/22	M/B/G	SW9012B
Extraction for SVOA SIM	Completed					05/13/22	O/L	SW3545A
Soil Extraction for PCB	Completed					05/12/22	O/E	SW3545A
Soil Extraction for Pesticide	Completed					05/12/22	O/E	SW3545A
Field Extraction	Completed					05/11/22		SW5035A
Mercury Digestion	Completed					05/16/22	KL/KL	SW7471B
Soil Extraction for SVOA	Completed					05/16/22	I	SW3546
Soil Extraction for Herbicide	Completed					05/16/22	M/D	SW3550C
Total Metals Digest	Completed					05/12/22	M/AG	SW3050B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<b><u>Chlorinated Herbicides</u></b>								
2,4,5-T	ND	200		ug/Kg	10	05/17/22	JRB	SW8151A
2,4,5-TP (Silvex)	ND	200		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-D	ND	390		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-DB	ND	3900		ug/Kg	10	05/17/22	JRB	SW8151A
Dalapon	ND	200		ug/Kg	10	05/17/22	JRB	SW8151A
Dicamba	ND	200		ug/Kg	10	05/17/22	JRB	SW8151A
Dichloroprop	ND	390		ug/Kg	10	05/17/22	JRB	SW8151A
Dinoseb	ND	390		ug/Kg	10	05/17/22	JRB	SW8151A
<b><u>QA/QC Surrogates</u></b>								
% DCAA	104			%	10	05/17/22	JRB	30 - 150 %
% DCAA (Confirmation)	98			%	10	05/17/22	JRB	30 - 150 %
<b><u>Polychlorinated Biphenyls</u></b>								
PCB-1016	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1221	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1232	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1242	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1248	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1254	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1260	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1262	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1268	ND	610		ug/Kg	10	05/14/22	KCA	SW8082A
<b><u>QA/QC Surrogates</u></b>								
% DCBP	111			%	10	05/14/22	KCA	30 - 150 %
% DCBP (Confirmation)	51			%	10	05/14/22	KCA	30 - 150 %
% TCMX	64			%	10	05/14/22	KCA	30 - 150 %
% TCMX (Confirmation)	69			%	10	05/14/22	KCA	30 - 150 %
<b><u>Pesticides - Soil</u></b>								
4,4' -DDD	ND	3.7		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDE	4.5	3.7		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDT	ND	3.7		ug/Kg	2	05/13/22	AW	SW8081B
a-BHC	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
a-Chlordane	ND	6.1		ug/Kg	2	05/13/22	AW	SW8081B
Aldrin	ND	6.1		ug/Kg	2	05/13/22	AW	SW8081B
b-BHC	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Chlordane	ND	61		ug/Kg	2	05/13/22	AW	SW8081B
d-BHC	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Dieldrin	ND	6.1		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan I	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan II	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan sulfate	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Endrin	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Endrin aldehyde	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Endrin ketone	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
g-BHC	ND	2.4		ug/Kg	2	05/13/22	AW	SW8081B
g-Chlordane	ND	6.1		ug/Kg	2	05/13/22	AW	SW8081B
Heptachlor	ND	12		ug/Kg	2	05/13/22	AW	SW8081B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Heptachlor epoxide	ND	12		ug/Kg	2	05/13/22	AW	SW8081B
Methoxychlor	ND	61		ug/Kg	2	05/13/22	AW	SW8081B
Toxaphene	ND	240		ug/Kg	2	05/13/22	AW	SW8081B
<b><u>QA/QC Surrogates</u></b>								
% DCBP	63			%	2	05/13/22	AW	30 - 150 %
% DCBP (Confirmation)	49			%	2	05/13/22	AW	30 - 150 %
% TCMX	55			%	2	05/13/22	AW	30 - 150 %
% TCMX (Confirmation)	56			%	2	05/13/22	AW	30 - 150 %
<b><u>Volatiles</u></b>								
1,1,1,2-Tetrachloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,1-Trichloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2,2-Tetrachloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2-Trichloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloropropene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichloropropane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trichlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trimethylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromo-3-chloropropane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromoethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloropropane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,3,5-Trimethylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichloropropane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
1,4-Dichlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
2,2-Dichloropropane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
2-Chlorotoluene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
2-Hexanone	ND	L	46	ug/Kg	1	05/13/22	JLI	SW8260C
2-Isopropyltoluene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
4-Chlorotoluene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
4-Methyl-2-pentanone	ND	L	46	ug/Kg	1	05/13/22	JLI	SW8260C
Acetone	ND	L	46	ug/Kg	1	05/13/22	JLI	SW8260C
Acrylonitrile	ND	L	18	ug/Kg	1	05/13/22	JLI	SW8260C
Benzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Bromobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Bromochloromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Bromodichloromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Bromoform	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Bromomethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon Disulfide	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon tetrachloride	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Chlorobenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroform	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Chloromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
cis-1,2-Dichloroethene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
cis-1,3-Dichloropropene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromochloromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromomethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Dichlorodifluoromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Ethylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Hexachlorobutadiene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Isopropylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
m&p-Xylene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl Ethyl Ketone	ND	L	46	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl t-butyl ether (MTBE)	ND	L	18	ug/Kg	1	05/13/22	JLI	SW8260C
Methylene chloride	ND	L	18	ug/Kg	1	05/13/22	JLI	SW8260C
Naphthalene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
n-Butylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
n-Propylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
o-Xylene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
p-Isopropyltoluene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
sec-Butylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Styrene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
tert-Butylbenzene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrachloroethene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrahydrofuran (THF)	ND	L	18	ug/Kg	1	05/13/22	JLI	SW8260C
Toluene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Total Xylenes	ND		9.2	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,2-Dichloroethene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,3-Dichloropropene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,4-dichloro-2-butene	ND	L	18	ug/Kg	1	05/13/22	JLI	SW8260C
Trichloroethene	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorofluoromethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorotrifluoroethane	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
Vinyl chloride	ND	L	9.2	ug/Kg	1	05/13/22	JLI	SW8260C
<b><u>QA/QC Surrogates</u></b>								
% 1,2-dichlorobenzene-d4	94			%	1	05/13/22	JLI	70 - 130 %
% Bromofluorobenzene	97			%	1	05/13/22	JLI	70 - 130 %
% Dibromofluoromethane	103			%	1	05/13/22	JLI	70 - 130 %
% Toluene-d8	98			%	1	05/13/22	JLI	70 - 130 %
<b><u>Semivolatiles</u></b>								
1,2,4,5-Tetrachlorobenzene	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
1,2,4-Trichlorobenzene	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Dichlorobenzene	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Diphenylhydrazine	ND		920	ug/Kg	1	05/17/22	WB	SW8270D
1,3-Dichlorobenzene	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
1,4-Dichlorobenzene	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,2'-Oxybis(1-Chloropropane)	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,4,5-Trichlorophenol	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,4,6-Trichlorophenol	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dichlorophenol	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dimethylphenol	ND		650	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dinitrophenol	ND		920	ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
2,4-Dinitrotoluene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2,6-Dinitrotoluene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2-Chloronaphthalene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2-Chlorophenol	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylnaphthalene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylphenol (o-cresol)	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitroaniline	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitrophenol	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
3&4-Methylphenol (m&p-cresol)	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
3,3'-Dichlorobenzidine	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
3-Nitroaniline	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
4,6-Dinitro-2-methylphenol	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
4-Bromophenyl phenyl ether	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloro-3-methylphenol	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloroaniline	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
4-Chlorophenyl phenyl ether	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitroaniline	ND	1500		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitrophenol	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthylene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Acetophenone	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Aniline	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Anthracene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benz(a)anthracene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzidine	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(a)pyrene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(b)fluoranthene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(ghi)perylene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(k)fluoranthene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Benzoic acid	ND	1800		ug/Kg	1	05/17/22	WB	SW8270D
Benzyl butyl phthalate	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethoxy)methane	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethyl)ether	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-ethylhexyl)phthalate	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Carbazole	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Chrysene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Dibenz(a,h)anthracene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Dibenzofuran	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Diethyl phthalate	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Dimethylphthalate	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-butylphthalate	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-octylphthalate	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Fluoranthene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Fluorene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobenzene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobutadiene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorocyclopentadiene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Hexachloroethane	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Indeno(1,2,3-cd)pyrene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Isophorone	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Naphthalene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Nitrobenzene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodimethylamine	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodi-n-propylamine	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodiphenylamine	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Pentachloronitrobenzene	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Pentachlorophenol	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
Phenanthrene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Phenol	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Pyrene	ND	650		ug/Kg	1	05/17/22	WB	SW8270D
Pyridine	ND	920		ug/Kg	1	05/17/22	WB	SW8270D
<b>QA/QC Surrogates</b>								
% 2,4,6-Tribromophenol	58			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorobiphenyl	47			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorophenol	52			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	51			%	1	05/17/22	WB	30 - 130 %
% Phenol-d5	50			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	56			%	1	05/17/22	WB	30 - 130 %
<b>1,4-Dioxane</b>								
1,4-dioxane	ND	120	120	ug/Kg	1	05/17/22	WB	SW8270D (SIM)
<b>QA/QC Surrogates</b>								
% 2-Fluorobiphenyl	53			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	56			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	74			%	1	05/17/22	WB	30 - 130 %

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------------	-------	----------	-----------	----	-----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

### **Comments:**

The regulatory hold time for pH is immediately. This pH was performed in the laboratory and may be considered outside of hold-time.

Per 1.4.6 of EPA method 8270D, 1,2-Diphenylhydrazine is unstable and readily converts to Azobenzene. Azobenzene is used for the calibration of 1,2-Diphenylhydrazine.

Volatile Comment:

L flag signifies that this sample was not collected in accordance with EPA method 5035. NELAC requires the laboratory to qualify the volatile soil data as biased low.

Hexavalent Chromium:

This sample is in a reducing state.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

May 20, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Report

May 20, 2022

FOR: Attn: Mr. Tim Judge  
 EcoAssessment, LLC  
 18 Maple Ave  
 Tarrytown, NY 10591

### Sample Information

Matrix: SEDIMENT  
 Location Code: ECOASSESS  
 Rush Request: Standard  
 P.O.#:

### Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

Time

05/11/22 14:03  
 05/12/22 15:30

SDG ID: GCL29292

Phoenix ID: CL29294

Project ID: PHILIPSBURGH MANOR MILL POND  
 Client ID: HHV C5-6-220220511

### Laboratory Data

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Silver	< 0.54	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Arsenic	1.6	1.1		mg/Kg	1	05/13/22	EK	SW6010D
Barium	98.2	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Beryllium	< 0.43	0.43		mg/Kg	1	05/13/22	EK	SW6010D
Cadmium	1.14	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Chromium	17.8	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Copper	27.9	1.1		mg/kg	1	05/13/22	EK	SW6010D
Mercury	< 0.04	0.04		mg/Kg	1	05/18/22	IE	SW7471B
Manganese	310	5.4		mg/Kg	10	05/16/22	CPP	SW6010D
Nickel	17.6	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Lead	20.0	0.54		mg/Kg	1	05/13/22	EK	SW6010D
Selenium	< 2.2	2.2		mg/Kg	1	05/13/22	EK	SW6010D
Trivalent Chromium	17.8	0.54		mg/kg	1	05/19/22		CALC 6010-7196
Zinc	74.3	1.1		mg/Kg	1	05/13/22	EK	SW6010D
Percent Solid	59			%		05/12/22	K	SW846-%Solid
Chromium, Hex. (SW3060 digestion)	< 0.62	0.62		mg/Kg	1	05/19/22	EG	SW7196A
pH at 25C - Soil	6.68	1.00		pH Units	1	05/12/22 23:41	ER	SW846 9045D
Redox Potential	-174			mV	1	05/12/22	ER	SM2580B-09
Total Cyanide (SW9010C Distill.)	< 0.77	0.77		mg/Kg	1	05/17/22	M/B/G	SW9012B
Extraction for SVOA SIM	Completed					05/13/22	O/L	SW3545A
Soil Extraction for PCB	Completed					05/12/22	O/E	SW3545A
Soil Extraction for Pesticide	Completed					05/12/22	O/E	SW3545A
Field Extraction	Completed					05/11/22		SW5035A
Mercury Digestion	Completed					05/16/22	KL/KL	SW7471B
Soil Extraction for SVOA	Completed					05/16/22	I	SW3546
Soil Extraction for Herbicide	Completed					05/16/22	M/D	SW3550C
Total Metals Digest	Completed					05/12/22	M/AG	SW3050B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<b><u>Chlorinated Herbicides</u></b>								
2,4,5-T	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
2,4,5-TP (Silvex)	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-D	ND	350		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-DB	ND	3500		ug/Kg	10	05/17/22	JRB	SW8151A
Dalapon	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
Dicamba	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
Dichloroprop	ND	350		ug/Kg	10	05/17/22	JRB	SW8151A
Dinoseb	ND	350		ug/Kg	10	05/17/22	JRB	SW8151A
<b><u>QA/QC Surrogates</u></b>								
% DCAA	96			%	10	05/17/22	JRB	30 - 150 %
% DCAA (Confirmation)	92			%	10	05/17/22	JRB	30 - 150 %
<b><u>Polychlorinated Biphenyls</u></b>								
PCB-1016	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1221	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1232	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1242	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1248	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1254	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1260	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1262	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1268	ND	550		ug/Kg	10	05/14/22	KCA	SW8082A
<b><u>QA/QC Surrogates</u></b>								
% DCBP	74			%	10	05/14/22	KCA	30 - 150 %
% DCBP (Confirmation)	79			%	10	05/14/22	KCA	30 - 150 %
% TCMX	72			%	10	05/14/22	KCA	30 - 150 %
% TCMX (Confirmation)	71			%	10	05/14/22	KCA	30 - 150 %
<b><u>Pesticides - Soil</u></b>								
4,4' -DDD	ND	3.3		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDE	4.3	3.3		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDT	ND	3.3		ug/Kg	2	05/13/22	AW	SW8081B
a-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
a-Chlordane	ND	5.6		ug/Kg	2	05/13/22	AW	SW8081B
Aldrin	ND	5.6		ug/Kg	2	05/13/22	AW	SW8081B
b-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Chlordane	ND	56		ug/Kg	2	05/13/22	AW	SW8081B
d-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Dieldrin	ND	5.6		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan I	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan II	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan sulfate	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin aldehyde	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin ketone	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
g-BHC	ND	2.2		ug/Kg	2	05/13/22	AW	SW8081B
g-Chlordane	ND	5.6		ug/Kg	2	05/13/22	AW	SW8081B
Heptachlor	ND	11		ug/Kg	2	05/13/22	AW	SW8081B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Heptachlor epoxide	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Methoxychlor	ND	56		ug/Kg	2	05/13/22	AW	SW8081B
Toxaphene	ND	220		ug/Kg	2	05/13/22	AW	SW8081B
<b><u>QA/QC Surrogates</u></b>								
% DCBP	50			%	2	05/13/22	AW	30 - 150 %
% DCBP (Confirmation)	56			%	2	05/13/22	AW	30 - 150 %
% TCMX	63			%	2	05/13/22	AW	30 - 150 %
% TCMX (Confirmation)	65			%	2	05/13/22	AW	30 - 150 %
<b><u>Volatiles</u></b>								
1,1,1,2-Tetrachloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,1-Trichloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2,2-Tetrachloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2-Trichloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloropropene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichloropropane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trichlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trimethylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromo-3-chloropropane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromoethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloropropane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,3,5-Trimethylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichloropropane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
1,4-Dichlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
2,2-Dichloropropane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
2-Chlorotoluene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
2-Hexanone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
2-Isopropyltoluene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
4-Chlorotoluene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
4-Methyl-2-pentanone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
Acetone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
Acrylonitrile	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Benzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Bromobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Bromochloromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Bromodichloromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Bromoform	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Bromomethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon Disulfide	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon tetrachloride	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Chlorobenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroform	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Chloromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
cis-1,2-Dichloroethene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
cis-1,3-Dichloropropene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromochloromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromomethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Dichlorodifluoromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Ethylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Hexachlorobutadiene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Isopropylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
m&p-Xylene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl Ethyl Ketone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl t-butyl ether (MTBE)	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Methylene chloride	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Naphthalene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
n-Butylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
n-Propylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
o-Xylene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
p-Isopropyltoluene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
sec-Butylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Styrene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
tert-Butylbenzene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrachloroethene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrahydrofuran (THF)	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Toluene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Total Xylenes	ND		8.4	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,2-Dichloroethene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,3-Dichloropropene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,4-dichloro-2-butene	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Trichloroethene	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorofluoromethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorotrifluoroethane	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
Vinyl chloride	ND	L	8.4	ug/Kg	1	05/13/22	JLI	SW8260C
<b><u>QA/QC Surrogates</u></b>								
% 1,2-dichlorobenzene-d4	95			%	1	05/13/22	JLI	70 - 130 %
% Bromofluorobenzene	97			%	1	05/13/22	JLI	70 - 130 %
% Dibromofluoromethane	100			%	1	05/13/22	JLI	70 - 130 %
% Toluene-d8	96			%	1	05/13/22	JLI	70 - 130 %
<b><u>Semivolatiles</u></b>								
1,2,4,5-Tetrachlorobenzene	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
1,2,4-Trichlorobenzene	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Dichlorobenzene	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Diphenylhydrazine	ND		830	ug/Kg	1	05/17/22	WB	SW8270D
1,3-Dichlorobenzene	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
1,4-Dichlorobenzene	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,2'-Oxybis(1-Chloropropane)	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,4,5-Trichlorophenol	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,4,6-Trichlorophenol	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dichlorophenol	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dimethylphenol	ND		580	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dinitrophenol	ND		830	ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
2,4-Dinitrotoluene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2,6-Dinitrotoluene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2-Chloronaphthalene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2-Chlorophenol	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylnaphthalene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylphenol (o-cresol)	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitroaniline	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitrophenol	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
3&4-Methylphenol (m&p-cresol)	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
3,3'-Dichlorobenzidine	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
3-Nitroaniline	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
4,6-Dinitro-2-methylphenol	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
4-Bromophenyl phenyl ether	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloro-3-methylphenol	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloroaniline	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
4-Chlorophenyl phenyl ether	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitroaniline	ND	1300		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitrophenol	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthylene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Acetophenone	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Aniline	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Anthracene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benz(a)anthracene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzidine	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(a)pyrene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(b)fluoranthene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(ghi)perylene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(k)fluoranthene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Benzoic acid	ND	1700		ug/Kg	1	05/17/22	WB	SW8270D
Benzyl butyl phthalate	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethoxy)methane	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethyl)ether	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-ethylhexyl)phthalate	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Carbazole	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Chrysene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Dibenz(a,h)anthracene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Dibenzofuran	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Diethyl phthalate	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Dimethylphthalate	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-butylphthalate	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-octylphthalate	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Fluoranthene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Fluorene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobenzene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobutadiene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorocyclopentadiene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Hexachloroethane	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Indeno(1,2,3-cd)pyrene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Isophorone	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Naphthalene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Nitrobenzene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodimethylamine	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodi-n-propylamine	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodiphenylamine	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Pentachloronitrobenzene	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Pentachlorophenol	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
Phenanthrene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Phenol	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Pyrene	ND	580		ug/Kg	1	05/17/22	WB	SW8270D
Pyridine	ND	830		ug/Kg	1	05/17/22	WB	SW8270D
<b>QA/QC Surrogates</b>								
% 2,4,6-Tribromophenol	55			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorobiphenyl	46			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorophenol	49			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	48			%	1	05/17/22	WB	30 - 130 %
% Phenol-d5	48			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	51			%	1	05/17/22	WB	30 - 130 %
<b>1,4-Dioxane</b>								
1,4-dioxane	ND	110	110	ug/Kg	1	05/17/22	WB	SW8270D (SIM)
<b>QA/QC Surrogates</b>								
% 2-Fluorobiphenyl	58			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	61			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	80			%	1	05/17/22	WB	30 - 130 %

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------------	-------	----------	-----------	----	-----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

### **Comments:**

Per 1.4.6 of EPA method 8270D, 1,2-Diphenylhydrazine is unstable and readily converts to Azobenzene. Azobenzene is used for the calibration of 1,2-Diphenylhydrazine.

The regulatory hold time for pH is immediately. This pH was performed in the laboratory and may be considered outside of hold-time.

Volatile Comment:

L flag signifies that this sample was not collected in accordance with EPA method 5035. NELAC requires the laboratory to qualify the volatile soil data as biased low.

Hexavalent Chromium:

This sample is in a reducing state.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

May 20, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Report

May 20, 2022

FOR: Attn: Mr. Tim Judge  
 EcoAssessment, LLC  
 18 Maple Ave  
 Tarrytown, NY 10591

### Sample Information

Matrix: SEDIMENT  
 Location Code: ECOASSESS  
 Rush Request: Standard  
 P.O.#:

### Custody Information

Collected by:  
 Received by: CP  
 Analyzed by: see "By" below

Date

Time

05/11/22 14:20  
 05/12/22 15:30

SDG ID: GCL29292

Phoenix ID: CL29295

## Laboratory Data

Project ID: PHILIPSBURGH MANOR MILL POND  
 Client ID: HHV C7-8-220220511

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Silver	< 0.60	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Arsenic	< 1.2	1.2		mg/Kg	1	05/13/22	EK	SW6010D
Barium	86.8	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Beryllium	< 0.48	0.48		mg/Kg	1	05/13/22	EK	SW6010D
Cadmium	0.86	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Chromium	15.2	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Copper	17.8	1.2		mg/kg	1	05/13/22	EK	SW6010D
Mercury	< 0.04	0.04		mg/Kg	2	05/18/22	IE	SW7471B
Manganese	400	6.0		mg/Kg	10	05/16/22	CPP	SW6010D
Nickel	13.4	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Lead	11.5	0.60		mg/Kg	1	05/13/22	EK	SW6010D
Selenium	< 2.4	2.4		mg/Kg	1	05/13/22	EK	SW6010D
Trivalent Chromium	15.2	0.60		mg/kg	1	05/19/22		CALC 6010-7196
Zinc	54.8	1.2		mg/Kg	1	05/13/22	EK	SW6010D
Percent Solid	60			%		05/12/22	K	SW846-%Solid
Chromium, Hex. (SW3060 digestion)	< 0.58	0.58		mg/Kg	1	05/19/22	EG	SW7196A
pH at 25C - Soil	6.63	1.00		pH Units	1	05/12/22 23:41	ER	SW846 9045D
Redox Potential	-202			mV	1	05/12/22	ER	SM2580B-09
Total Cyanide (SW9010C Distill.)	< 0.49	0.49		mg/Kg	1	05/17/22	M/B/G	SW9012B
Extraction for SVOA SIM	Completed					05/13/22	O/L	SW3545A
Soil Extraction for PCB	Completed					05/12/22	O/E	SW3545A
Soil Extraction for Pesticide	Completed					05/12/22	O/E	SW3545A
Field Extraction	Completed					05/11/22		SW5035A
Mercury Digestion	Completed					05/16/22	KL/KL	SW7471B
Soil Extraction for SVOA	Completed					05/16/22	I	SW3546
Soil Extraction for Herbicide	Completed					05/16/22	M/D	SW3550C
Total Metals Digest	Completed					05/12/22	M/AG	SW3050B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<b><u>Chlorinated Herbicides</u></b>								
2,4,5-T	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
2,4,5-TP (Silvex)	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-D	ND	340		ug/Kg	10	05/17/22	JRB	SW8151A
2,4-DB	ND	3400		ug/Kg	10	05/17/22	JRB	SW8151A
Dalapon	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
Dicamba	ND	170		ug/Kg	10	05/17/22	JRB	SW8151A
Dichloroprop	ND	340		ug/Kg	10	05/17/22	JRB	SW8151A
Dinoseb	ND	340		ug/Kg	10	05/17/22	JRB	SW8151A
<b><u>QA/QC Surrogates</u></b>								
% DCAA	78			%	10	05/17/22	JRB	30 - 150 %
% DCAA (Confirmation)	74			%	10	05/17/22	JRB	30 - 150 %
<b><u>Polychlorinated Biphenyls</u></b>								
PCB-1016	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1221	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1232	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1242	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1248	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1254	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1260	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1262	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
PCB-1268	ND	540		ug/Kg	10	05/14/22	KCA	SW8082A
<b><u>QA/QC Surrogates</u></b>								
% DCBP	84			%	10	05/14/22	KCA	30 - 150 %
% DCBP (Confirmation)	76			%	10	05/14/22	KCA	30 - 150 %
% TCMX	75			%	10	05/14/22	KCA	30 - 150 %
% TCMX (Confirmation)	68			%	10	05/14/22	KCA	30 - 150 %
<b><u>Pesticides - Soil</u></b>								
4,4' -DDD	ND	3.3		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDE	ND	3.3		ug/Kg	2	05/13/22	AW	SW8081B
4,4' -DDT	ND	3.3		ug/Kg	2	05/13/22	AW	SW8081B
a-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
a-Chlordane	ND	5.4		ug/Kg	2	05/13/22	AW	SW8081B
Aldrin	ND	5.4		ug/Kg	2	05/13/22	AW	SW8081B
b-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Chlordane	ND	54		ug/Kg	2	05/13/22	AW	SW8081B
d-BHC	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Dieldrin	ND	5.4		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan I	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan II	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endosulfan sulfate	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin aldehyde	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Endrin ketone	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
g-BHC	ND	2.2		ug/Kg	2	05/13/22	AW	SW8081B
g-Chlordane	ND	5.4		ug/Kg	2	05/13/22	AW	SW8081B
Heptachlor	ND	11		ug/Kg	2	05/13/22	AW	SW8081B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Heptachlor epoxide	ND	11		ug/Kg	2	05/13/22	AW	SW8081B
Methoxychlor	ND	54		ug/Kg	2	05/13/22	AW	SW8081B
Toxaphene	ND	220		ug/Kg	2	05/13/22	AW	SW8081B
<b><u>QA/QC Surrogates</u></b>								
% DCBP	57			%	2	05/13/22	AW	30 - 150 %
% DCBP (Confirmation)	60			%	2	05/13/22	AW	30 - 150 %
% TCMX	58			%	2	05/13/22	AW	30 - 150 %
% TCMX (Confirmation)	63			%	2	05/13/22	AW	30 - 150 %
<b><u>Volatiles</u></b>								
1,1,1,2-Tetrachloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,1-Trichloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2,2-Tetrachloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1,2-Trichloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloroethene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,1-Dichloropropene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,3-Trichloropropane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trichlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2,4-Trimethylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromo-3-chloropropane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dibromoethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,2-Dichloropropane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,3,5-Trimethylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,3-Dichloropropane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
1,4-Dichlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
2,2-Dichloropropane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
2-Chlorotoluene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
2-Hexanone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
2-Isopropyltoluene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
4-Chlorotoluene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
4-Methyl-2-pentanone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
Acetone	44	SL	42	ug/Kg	1	05/13/22	JLI	SW8260C
Acrylonitrile	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Benzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Bromobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Bromochloromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Bromodichloromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Bromoform	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Bromomethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon Disulfide	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Carbon tetrachloride	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Chlorobenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Chloroform	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Chloromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
cis-1,2-Dichloroethene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
cis-1,3-Dichloropropene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromochloromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Dibromomethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Dichlorodifluoromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Ethylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Hexachlorobutadiene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Isopropylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
m&p-Xylene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl Ethyl Ketone	ND	L	42	ug/Kg	1	05/13/22	JLI	SW8260C
Methyl t-butyl ether (MTBE)	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Methylene chloride	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Naphthalene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
n-Butylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
n-Propylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
o-Xylene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
p-Isopropyltoluene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
sec-Butylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Styrene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
tert-Butylbenzene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrachloroethene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Tetrahydrofuran (THF)	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Toluene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Total Xylenes	ND		8.3	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,2-Dichloroethene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,3-Dichloropropene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
trans-1,4-dichloro-2-butene	ND	L	17	ug/Kg	1	05/13/22	JLI	SW8260C
Trichloroethene	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorofluoromethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Trichlorotrifluoroethane	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
Vinyl chloride	ND	L	8.3	ug/Kg	1	05/13/22	JLI	SW8260C
<b><u>QA/QC Surrogates</u></b>								
% 1,2-dichlorobenzene-d4	93			%	1	05/13/22	JLI	70 - 130 %
% Bromofluorobenzene	96			%	1	05/13/22	JLI	70 - 130 %
% Dibromofluoromethane	99			%	1	05/13/22	JLI	70 - 130 %
% Toluene-d8	96			%	1	05/13/22	JLI	70 - 130 %
<b><u>Semivolatiles</u></b>								
1,2,4,5-Tetrachlorobenzene	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
1,2,4-Trichlorobenzene	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Dichlorobenzene	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
1,2-Diphenylhydrazine	ND		1600	ug/Kg	1	05/17/22	WB	SW8270D
1,3-Dichlorobenzene	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
1,4-Dichlorobenzene	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,2'-Oxybis(1-Chloropropane)	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,4,5-Trichlorophenol	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,4,6-Trichlorophenol	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dichlorophenol	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dimethylphenol	ND		1100	ug/Kg	1	05/17/22	WB	SW8270D
2,4-Dinitrophenol	ND		1600	ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
2,4-Dinitrotoluene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2,6-Dinitrotoluene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2-Chloronaphthalene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2-Chlorophenol	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylnaphthalene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2-Methylphenol (o-cresol)	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitroaniline	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
2-Nitrophenol	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
3&4-Methylphenol (m&p-cresol)	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
3,3'-Dichlorobenzidine	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
3-Nitroaniline	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
4,6-Dinitro-2-methylphenol	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
4-Bromophenyl phenyl ether	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloro-3-methylphenol	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
4-Chloroaniline	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
4-Chlorophenyl phenyl ether	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitroaniline	ND	2500		ug/Kg	1	05/17/22	WB	SW8270D
4-Nitrophenol	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Acenaphthylene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Acetophenone	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Aniline	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Anthracene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benz(a)anthracene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzidine	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(a)pyrene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(b)fluoranthene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(ghi)perylene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzo(k)fluoranthene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Benzoic acid	ND	3100		ug/Kg	1	05/17/22	WB	SW8270D
Benzyl butyl phthalate	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethoxy)methane	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-chloroethyl)ether	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Bis(2-ethylhexyl)phthalate	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Carbazole	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Chrysene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Dibenz(a,h)anthracene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Dibenzofuran	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Diethyl phthalate	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Dimethylphthalate	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-butylphthalate	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Di-n-octylphthalate	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Fluoranthene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Fluorene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobenzene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorobutadiene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Hexachlorocyclopentadiene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Hexachloroethane	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Indeno(1,2,3-cd)pyrene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Isophorone	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Naphthalene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Nitrobenzene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodimethylamine	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodi-n-propylamine	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
N-Nitrosodiphenylamine	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Pentachloronitrobenzene	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Pentachlorophenol	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
Phenanthrene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Phenol	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Pyrene	ND	1100		ug/Kg	1	05/17/22	WB	SW8270D
Pyridine	ND	1600		ug/Kg	1	05/17/22	WB	SW8270D
<b>QA/QC Surrogates</b>								
% 2,4,6-Tribromophenol	68			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorobiphenyl	58			%	1	05/17/22	WB	30 - 130 %
% 2-Fluorophenol	61			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	59			%	1	05/17/22	WB	30 - 130 %
% Phenol-d5	62			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	62			%	1	05/17/22	WB	30 - 130 %
<b>1,4-Dioxane</b>								
1,4-dioxane	ND	110	110	ug/Kg	1	05/17/22	WB	SW8270D (SIM)
<b>QA/QC Surrogates</b>								
% 2-Fluorobiphenyl	34			%	1	05/17/22	WB	30 - 130 %
% Nitrobenzene-d5	41			%	1	05/17/22	WB	30 - 130 %
% Terphenyl-d14	56			%	1	05/17/22	WB	30 - 130 %

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------------	-------	----------	-----------	----	-----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

### **Comments:**

The regulatory hold time for pH is immediately. This pH was performed in the laboratory and may be considered outside of hold-time.

Per 1.4.6 of EPA method 8270D, 1,2-Diphenylhydrazine is unstable and readily converts to Azobenzene. Azobenzene is used for the calibration of 1,2-Diphenylhydrazine.

Volatile Comment:

L flag signifies that this sample was not collected in accordance with EPA method 5035. NELAC requires the laboratory to qualify the volatile soil data as biased low.

Hexavalent Chromium:

This sample is in a reducing state.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

S - Laboratory solvent, contamination is possible.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

  
Phyllis Shiller, Laboratory Director

May 20, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



**Environmental Laboratories, Inc.**

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045

Tel. (860) 645-1102

Fax (860) 645-0823

## QA/QC Report

May 20, 2022

### QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	--------	---------------	------------	---------	-------	--------	---------	------	-------	--------	--------------	--------------

QA/QC Batch 625406 (mg/kg), QC Sample No: CL30241 40X (CL29292, CL29293, CL29294, CL29295)

#### Chromium, Hexavalent - Sediment

Chromium, Hexavalent	BRL	0.40	<0.37	<0.37	NC	103						85 - 115	30
Chromium, Hexavalent (Ins)						92.2				109		85 - 115	30
Chromium, Hexavalent (Sol)						94.2			88.8			85 - 115	30

QA/QC Batch 624840 (mg/kg), QC Sample No: CL28777 (CL29292, CL29293, CL29294, CL29295)

Mercury - Soil	BRL	0.03				108	95.8	12.0	NC			70 - 130	30
----------------	-----	------	--	--	--	-----	------	------	----	--	--	----------	----

#### Comment:

This batch consists of a Blank, LCS, LCSD and MS.

Additional Mercury criteria: LCS acceptance range for waters is 80-120% and for soils is 70-130%. MS acceptance range is 75-125%.

QA/QC Batch 624499 (mg/kg), QC Sample No: CL29351 (CL29292, CL29293, CL29294, CL29295)

#### ICP Metals - Soil

Arsenic	BRL	0.67	9.47	10.3	8.40	114	118	3.4	102			75 - 125	35
Barium	BRL	0.33	43.8	45.0	2.70	110	115	4.4	103			75 - 125	35
Beryllium	BRL	0.27	0.38	0.41	NC	107	103	3.8	102			75 - 125	35
Cadmium	BRL	0.33	0.89	0.96	NC	106	104	1.9	97.8			75 - 125	35
Chromium	BRL	0.33	18.4	19.4	5.30	112	113	0.9	99.4			75 - 125	35
Copper	BRL	0.67	18.7	20.5	9.20	103	110	6.6	96.7			75 - 125	35
Lead	BRL	0.33	118	130	9.70	103	108	4.7	97.0			75 - 125	35
Manganese	BRL	0.33	146	163	11.0	107	107	0.0	115			75 - 125	35
Nickel	BRL	0.33	11.7	12.2	4.20	111	111	0.0	99.9			75 - 125	35
Selenium	BRL	1.3	<1.5	<1.5	NC	123	81.3	40.8	112			75 - 125	35
Silver	BRL	0.33	<0.37	<0.38	NC	107	114	6.3	98.6			75 - 125	35
Zinc	BRL	0.67	49.9	51.0	2.20	111	116	4.4	104			75 - 125	35

#### Comment:

Additional Criteria: LCS acceptance range is 80-120% MS acceptance range 75-125%.

r = This parameter is outside laboratory RPD specified recovery limits.



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## QA/QC Report

May 20, 2022

### QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 624835 (mg/Kg), QC Sample No: CL30241 50X (CL29292, CL29293, CL29294, CL29295)													
Total Cyanide (SW9010C Distill.)	BRL	0.50	<0.48	<0.53	NC	89.8			96.5			80 - 120	30
Comment:													
Additional: LCS acceptance range is 80-120% for soils MS acceptance range 75-125% for soils													
QA/QC Batch 624568 (PH), QC Sample No: CL28768 (CL29292, CL29293, CL29294, CL29295)													
pH at 25C - Soil			6.52	6.48	0.60	100						85 - 115	20

DRAFT



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## QA/QC Report

May 20, 2022

### QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk	RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 624888 (ug/Kg), QC Sample No: CL30047 10X (CL29292, CL29293, CL29294, CL29295)											
<u>Chlorinated Herbicides - Sediment</u>											
2,4,5-T	ND	83		71	71	0.0	74	67	9.9	40 - 140	30
2,4,5-TP (Silvex)	ND	83		74	73	1.4	76	67	12.6	40 - 140	30
2,4-D	ND	170		73	72	1.4	79	71	10.7	40 - 140	30
2,4-DB	ND	1700		64	64	0.0	81	70	14.6	40 - 140	30
Dalapon	ND	83		73	70	4.2	48	67	33.0	40 - 140	30
Dicamba	ND	83		71	70	1.4	75	64	15.8	40 - 140	30
Dichloroprop	ND	83		79	77	2.6	77	74	4.0	40 - 140	30
Dinoseb	ND	83		61	60	1.7	71	61	15.2	40 - 140	30
% DCAA (Surrogate Rec)	102	%		102	98	4.0	108	97	10.7	30 - 150	30
% DCAA (Surrogate Rec) (Confirm	99	%		105	103	1.9	114	99	14.1	30 - 150	30
Comment:											
Additional criteria: LCS acceptance range is 40-140% MS acceptance range 30-150%.											
QA/QC Batch 624483 (ug/Kg), QC Sample No: CL29292 2X (CL29292, CL29293, CL29294, CL29295)											
<u>Polychlorinated Biphenyls - Sediment</u>											
PCB-1016	ND	33		73	82	11.6	56	62	10.2	40 - 140	30
PCB-1221	ND	33								40 - 140	30
PCB-1232	ND	33								40 - 140	30
PCB-1242	ND	33								40 - 140	30
PCB-1248	ND	33								40 - 140	30
PCB-1254	ND	33								40 - 140	30
PCB-1260	ND	33		98	103	5.0	70	75	6.9	40 - 140	30
PCB-1262	ND	33								40 - 140	30
PCB-1268	ND	33								40 - 140	30
% DCBP (Surrogate Rec)	100	%		113	118	4.3	75	79	5.2	30 - 150	30
% DCBP (Surrogate Rec) (Confirm	86	%		100	103	3.0	64	71	10.4	30 - 150	30
% TCMX (Surrogate Rec)	68	%		76	78	2.6	58	58	0.0	30 - 150	30
% TCMX (Surrogate Rec) (Confirm	74	%		78	81	3.8	61	62	1.6	30 - 150	30
QA/QC Batch 624484 (ug/Kg), QC Sample No: CL29292 2X (CL29292, CL29293, CL29294, CL29295)											
<u>Pesticides - Sediment</u>											
4,4'-DDD	ND	1.7		103	116	11.9	73	91	22.0	40 - 140	30
4,4'-DDE	ND	1.7		91	101	10.4	69	83	18.4	40 - 140	30
4,4'-DDT	ND	1.7		75	93	21.4	62	89	35.8	40 - 140	30
a-BHC	ND	1.0		82	84	2.4	53	62	15.7	40 - 140	30
a-Chlordane	ND	3.3		80	89	10.7	55	79	35.8	40 - 140	30
Aldrin	ND	1.0		84	87	3.5	53	75	34.4	40 - 140	30
b-BHC	ND	1.0		87	99	12.9	52	74	34.9	40 - 140	30
Chlordane	ND	33		86	92	6.7	70	95	30.3	40 - 140	30
d-BHC	ND	3.3		63	83	27.4	46	62	29.6	40 - 140	30
Dieldrin	ND	1.0		87	95	8.8	59	70	17.1	40 - 140	30
Endosulfan I	ND	3.3		84	87	3.5	55	71	25.4	40 - 140	30

QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk RL	LCS				MSD		MS		% Rec	% RPD
			%	LCSD %	LCS RPD	%	MSD %	RPD	Limits	Limits		
Endosulfan II	ND	3.3	93	99	6.3	55	68	21.1	40 - 140	30		
Endosulfan sulfate	ND	3.3	87	92	5.6	48	67	33.0	40 - 140	30	r	
Endrin	ND	3.3	88	98	10.8	62	74	17.6	40 - 140	30		
Endrin aldehyde	ND	3.3	85	91	6.8	48	52	8.0	40 - 140	30		
Endrin ketone	ND	3.3	92	95	3.2	54	61	12.2	40 - 140	30		
g-BHC	ND	1.0	93	94	1.1	55	70	24.0	40 - 140	30		
g-Chlordane	ND	3.3	86	92	6.7	70	95	30.3	40 - 140	30		
Heptachlor	ND	3.3	80	71	11.9	45	73	47.5	40 - 140	30	r	
Heptachlor epoxide	ND	3.3	84	89	5.8	60	73	19.5	40 - 140	30		
Methoxychlor	ND	3.3	100	101	1.0	62	77	21.6	40 - 140	30		
Toxaphene	ND	130	NA	NA	NC	NA	NA	NC	40 - 140	30		
% DCBP	81	%	86	94	8.9	55	70	24.0	30 - 150	30		
% DCBP (Confirmation)	58	%	78	70	10.8	35	51	37.2	30 - 150	30	r	
% TCMX	73	%	79	79	0.0	51	69	30.0	30 - 150	30		
% TCMX (Confirmation)	66	%	74	69	7.0	43	67	43.6	30 - 150	30	r	

QA/QC Batch 624920 (ug/kg), QC Sample No: CL30241 (CL29292, CL29293, CL29294, CL29295)

Semivolatiles - Sediment

1,2,4,5-Tetrachlorobenzene	ND	230	51	42	19.4	47	57	19.2	40 - 140	30		
1,2,4-Trichlorobenzene	ND	230	52	42	21.3	49	57	15.1	40 - 140	30		
1,2-Dichlorobenzene	ND	180	50	37	29.9	45	54	18.2	40 - 140	30	I	
1,2-Diphenylhydrazine	ND	230	55	46	17.8	48	59	20.6	40 - 140	30		
1,3-Dichlorobenzene	ND	230	49	36	30.6	43	53	20.8	40 - 140	30	I,r	
1,4-Dichlorobenzene	ND	230	49	36	30.6	43	53	20.8	40 - 140	30	I,r	
2,2'-Oxybis(1-Chloropropane)	ND	230	45	35	25.0	40	49	20.2	40 - 140	30	I	
2,4,5-Trichlorophenol	ND	230	60	50	18.2	54	64	16.9	40 - 140	30		
2,4,6-Trichlorophenol	ND	130	64	50	24.6	59	68	14.2	30 - 130	30		
2,4-Dichlorophenol	ND	130	60	50	18.2	56	66	16.4	30 - 130	30		
2,4-Dimethylphenol	ND	230	64	52	20.7	58	66	12.9	30 - 130	30		
2,4-Dinitrophenol	ND	230	46	11	122.8	41	47	13.6	30 - 130	30	I,r	
2,4-Dinitrotoluene	ND	130	60	50	18.2	52	65	22.2	30 - 130	30		
2,6-Dinitrotoluene	ND	130	60	49	20.2	52	62	17.5	40 - 140	30		
2-Chloronaphthalene	ND	230	57	47	19.2	54	60	10.5	40 - 140	30		
2-Chlorophenol	ND	230	57	45	23.5	52	61	15.9	30 - 130	30		
2-Methylnaphthalene	ND	230	54	44	20.4	50	60	18.2	40 - 140	30		
2-Methylphenol (o-cresol)	ND	230	63	49	25.0	55	66	18.2	40 - 140	30		
2-Nitroaniline	ND	330	83	69	18.4	67	86	24.8	40 - 140	30		
2-Nitrophenol	ND	230	59	47	22.6	55	62	12.0	40 - 140	30		
3&4-Methylphenol (m&p-cresol)	ND	230	64	50	24.6	57	70	20.5	30 - 130	30		
3,3'-Dichlorobenzidine	ND	130	67	54	21.5	57	68	17.6	40 - 140	30		
3-Nitroaniline	ND	330	68	58	15.9	59	72	19.8	40 - 140	30		
4,6-Dinitro-2-methylphenol	ND	230	58	26	76.2	46	54	16.0	30 - 130	30	I,r	
4-Bromophenyl phenyl ether	ND	230	59	49	18.5	54	61	12.2	40 - 140	30		
4-Chloro-3-methylphenol	ND	230	61	51	17.9	55	68	21.1	30 - 130	30		
4-Chloroaniline	ND	230	59	49	18.5	51	60	16.2	40 - 140	30		
4-Chlorophenyl phenyl ether	ND	230	57	49	15.1	51	61	17.9	40 - 140	30		
4-Nitroaniline	ND	230	63	52	19.1	57	66	14.6	40 - 140	30		
4-Nitrophenol	ND	230	65	48	30.1	54	70	25.8	30 - 130	30		
Acenaphthene	ND	230	58	48	18.9	52	61	15.9	30 - 130	30		
Acenaphthylene	ND	130	51	43	17.0	46	55	17.8	40 - 140	30		
Acetophenone	ND	230	50	40	22.2	45	54	18.2	40 - 140	30		
Aniline	ND	330	47	39	18.6	42	47	11.2	40 - 140	30	I	
Anthracene	ND	230	59	50	16.5	53	62	15.7	40 - 140	30		

## QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec	% RPD
		RL							Limits	Limits
Benz(a)anthracene	ND	230	59	49	18.5	53	64	18.8	40 - 140	30
Benzidine	ND	330	48	42	13.3	21	28	28.6	40 - 140	30
Benzo(a)pyrene	ND	130	57	47	19.2	49	60	20.2	40 - 140	30
Benzo(b)fluoranthene	ND	160	61	49	21.8	54	68	23.0	40 - 140	30
Benzo(ghi)perylene	ND	230	62	53	15.7	58	64	9.8	40 - 140	30
Benzo(k)fluoranthene	ND	230	56	48	15.4	52	62	17.5	40 - 140	30
Benzoic Acid	ND	670	12	<10	NC	39	35	10.8	30 - 130	30
Benzyl butyl phthalate	ND	230	63	52	19.1	53	64	18.8	40 - 140	30
Bis(2-chloroethoxy)methane	ND	230	57	46	21.4	51	59	14.5	40 - 140	30
Bis(2-chloroethyl)ether	ND	130	51	39	26.7	45	54	18.2	40 - 140	30
Bis(2-ethylhexyl)phthalate	ND	230	61	51	17.9	51	60	16.2	40 - 140	30
Carbazole	ND	230	59	50	16.5	53	63	17.2	40 - 140	30
Chrysene	ND	230	60	50	18.2	53	64	18.8	40 - 140	30
Dibenz(a,h)anthracene	ND	130	62	52	17.5	55	62	12.0	40 - 140	30
Dibenzofuran	ND	230	56	46	19.6	50	59	16.5	40 - 140	30
Diethyl phthalate	ND	230	58	49	16.8	50	61	19.8	40 - 140	30
Dimethylphthalate	ND	230	59	50	16.5	53	62	15.7	40 - 140	30
Di-n-butylphthalate	ND	670	61	51	17.9	51	62	19.5	40 - 140	30
Di-n-octylphthalate	ND	230	62	52	17.5	53	62	15.7	40 - 140	30
Fluoranthene	ND	230	58	49	16.8	51	64	22.6	40 - 140	30
Fluorene	ND	230	57	48	17.1	52	62	17.5	40 - 140	30
Hexachlorobenzene	ND	130	59	50	16.5	53	62	15.7	40 - 140	30
Hexachlorobutadiene	ND	230	50	40	22.2	48	55	13.6	40 - 140	30
Hexachlorocyclopentadiene	ND	230	21	24	13.3	33	34	3.0	40 - 140	30
Hexachloroethane	ND	130	47	36	26.5	43	52	18.9	40 - 140	30
Indeno(1,2,3-cd)pyrene	ND	230	66	56	16.4	62	69	10.7	40 - 140	30
Isophorone	ND	130	51	41	21.7	45	53	16.3	40 - 140	30
Naphthalene	ND	230	52	43	18.9	49	57	15.1	40 - 140	30
Nitrobenzene	ND	130	54	42	25.0	48	59	20.6	40 - 140	30
N-Nitrosodimethylamine	ND	230	57	44	25.7	45	54	18.2	40 - 140	30
N-Nitrosodi-n-propylamine	ND	130	57	44	25.7	51	61	17.9	40 - 140	30
N-Nitrosodiphenylamine	ND	130	58	47	21.0	49	61	21.8	40 - 140	30
Pentachloronitrobenzene	ND	230	59	48	20.6	51	60	16.2	40 - 140	30
Pentachlorophenol	ND	230	54	35	42.7	49	60	20.2	30 - 130	30
Phenanthrene	ND	130	58	48	18.9	51	62	19.5	40 - 140	30
Phenol	ND	230	63	49	25.0	55	64	15.1	30 - 130	30
Pyrene	ND	230	59	49	18.5	52	66	23.7	30 - 130	30
Pyridine	ND	230	41	32	24.7	31	41	27.8	40 - 140	30
% 2,4,6-Tribromophenol	58	%	63	52	19.1	57	65	13.1	30 - 130	30
% 2-Fluorobiphenyl	53	%	53	44	18.6	51	56	9.3	30 - 130	30
% 2-Fluorophenol	56	%	57	44	25.7	50	60	18.2	30 - 130	30
% Nitrobenzene-d5	50	%	52	42	21.3	48	58	18.9	30 - 130	30
% Phenol-d5	53	%	58	47	21.0	52	61	15.9	30 - 130	30
% Terphenyl-d14	54	%	56	47	17.5	48	60	22.2	30 - 130	30

Comment:

Additional 8270 criteria: 20% of compounds can be outside of acceptance criteria as long as recovery is at least 10%. (Acid surrogates acceptance range for aqueous samples: 15-110%, for soils 30-130%)

QA/QC Batch 624680 (ug/kg), QC Sample No: CL29292 (CL29292, CL29293, CL29294, CL29295)

### Polynuclear Aromatic HC - Sediment

1,4-dioxane	ND	67	44	45	2.2	47	46	2.2	30 - 130	30
% 2-Fluorobiphenyl	86	%	63	81	25.0	63	52	19.1	30 - 130	30
% Nitrobenzene-d5	84	%	63	78	21.3	58	56	3.5	30 - 130	30

## QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk	RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
% Terphenyl-d14	88	%		71	93	26.8	75	70	6.9	30 - 130	30
<b>Comment:</b>											
Additional 8270 criteria: 20% of compounds can be outside of acceptance criteria as long as recovery is at least 10%. (Acid surrogates acceptance range for aqueous samples: 15-110%, for soils 30-130%)											
<b>QA/QC Batch 624640 (ug/kg), QC Sample No: CL29363 (CL29292, CL29293, CL29294, CL29295)</b>											
<b>Volatiles - Sediment (Low Level)</b>											
1,1,1,2-Tetrachloroethane	ND	5.0		105	105	0.0	92	92	0.0	70 - 130	30
1,1,1-Trichloroethane	ND	5.0		103	103	0.0	100	100	0.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	3.0		98	100	2.0	<10	<10	NC	70 - 130	30
1,1,2-Trichloroethane	ND	5.0		99	97	2.0	88	85	3.5	70 - 130	30
1,1-Dichloroethane	ND	5.0		101	101	0.0	100	100	0.0	70 - 130	30
1,1-Dichloroethene	ND	5.0		107	108	0.9	110	112	1.8	70 - 130	30
1,1-Dichloropropene	ND	5.0		104	105	1.0	102	100	2.0	70 - 130	30
1,2,3-Trichlorobenzene	ND	5.0		104	104	0.0	57	54	5.4	70 - 130	30
1,2,3-Trichloropropane	ND	5.0		95	96	1.0	89	84	5.8	70 - 130	30
1,2,4-Trichlorobenzene	ND	5.0		101	102	1.0	56	53	5.5	70 - 130	30
1,2,4-Trimethylbenzene	ND	1.0		100	102	2.0	81	80	1.2	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	5.0		106	106	0.0	81	78	3.8	70 - 130	30
1,2-Dibromoethane	ND	5.0		101	102	1.0	91	90	1.1	70 - 130	30
1,2-Dichlorobenzene	ND	5.0		101	102	1.0	75	75	0.0	70 - 130	30
1,2-Dichloroethane	ND	5.0		97	99	2.0	95	92	3.2	70 - 130	30
1,2-Dichloropropane	ND	5.0		101	102	1.0	97	97	0.0	70 - 130	30
1,3,5-Trimethylbenzene	ND	1.0		103	105	1.9	86	85	1.2	70 - 130	30
1,3-Dichlorobenzene	ND	5.0		99	100	1.0	74	73	1.4	70 - 130	30
1,3-Dichloropropane	ND	5.0		100	101	1.0	93	91	2.2	70 - 130	30
1,4-Dichlorobenzene	ND	5.0		100	102	2.0	74	73	1.4	70 - 130	30
2,2-Dichloropropane	ND	5.0		107	106	0.9	102	98	4.0	70 - 130	30
2-Chlorotoluene	ND	5.0		107	109	1.9	89	89	0.0	70 - 130	30
2-Hexanone	ND	25		91	87	4.5	79	73	7.9	70 - 130	30
2-Isopropyltoluene	ND	5.0		104	107	2.8	84	84	0.0	70 - 130	30
4-Chlorotoluene	ND	5.0		104	105	1.0	82	82	0.0	70 - 130	30
4-Methyl-2-pentanone	ND	25		97	94	3.1	92	86	6.7	70 - 130	30
Acetone	ND	10		80	78	2.5	73	74	1.4	70 - 130	30
Acrylonitrile	ND	5.0		98	97	1.0	89	87	2.3	70 - 130	30
Benzene	ND	1.0		101	103	2.0	98	98	0.0	70 - 130	30
Bromobenzene	ND	5.0		103	106	2.9	86	87	1.2	70 - 130	30
Bromochloromethane	ND	5.0		101	101	0.0	96	96	0.0	70 - 130	30
Bromodichloromethane	ND	5.0		102	103	1.0	94	94	0.0	70 - 130	30
Bromoform	ND	5.0		104	104	0.0	84	84	0.0	70 - 130	30
Bromomethane	ND	5.0		91	103	12.4	112	116	3.5	70 - 130	30
Carbon Disulfide	ND	5.0		99	102	3.0	97	98	1.0	70 - 130	30
Carbon tetrachloride	ND	5.0		104	104	0.0	98	97	1.0	70 - 130	30
Chlorobenzene	ND	5.0		101	102	1.0	89	89	0.0	70 - 130	30
Chloroethane	ND	5.0		111	112	0.9	119	123	3.3	70 - 130	30
Chloroform	ND	5.0		98	97	1.0	96	95	1.0	70 - 130	30
Chloromethane	ND	5.0		97	95	2.1	103	106	2.9	70 - 130	30
cis-1,2-Dichloroethene	ND	5.0		101	100	1.0	98	97	1.0	70 - 130	30
cis-1,3-Dichloropropene	ND	5.0		102	103	1.0	93	93	0.0	70 - 130	30
Dibromochloromethane	ND	3.0		105	105	0.0	91	90	1.1	70 - 130	30
Dibromomethane	ND	5.0		102	103	1.0	96	95	1.0	70 - 130	30
Dichlorodifluoromethane	ND	5.0		87	88	1.1	119	118	0.8	70 - 130	30
Ethylbenzene	ND	1.0		104	103	1.0	92	92	0.0	70 - 130	30

## QA/QC Data

SDG I.D.: GCL29292

Parameter	Blank	Blk RL							% Rec	% RPD	
			LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	Limits	Limits	
Hexachlorobutadiene	ND	5.0		108	108	0.0	66	66	0.0	70 - 130	30
Isopropylbenzene	ND	1.0		106	107	0.9	92	92	0.0	70 - 130	30
m&p-Xylene	ND	2.0		101	102	1.0	89	89	0.0	70 - 130	30
Methyl ethyl ketone	ND	5.0		91	82	10.4	81	77	5.1	70 - 130	30
Methyl t-butyl ether (MTBE)	ND	1.0		95	95	0.0	97	91	6.4	70 - 130	30
Methylene chloride	ND	5.0		83	86	3.6	96	92	4.3	70 - 130	30
Naphthalene	ND	5.0		102	102	0.0	70	67	4.4	70 - 130	30
n-Butylbenzene	ND	1.0		109	112	2.7	80	79	1.3	70 - 130	30
n-Propylbenzene	ND	1.0		106	108	1.9	89	89	0.0	70 - 130	30
o-Xylene	ND	2.0		101	101	0.0	88	88	0.0	70 - 130	30
p-Isopropyltoluene	ND	1.0		107	108	0.9	83	83	0.0	70 - 130	30
sec-Butylbenzene	ND	1.0		106	107	0.9	86	86	0.0	70 - 130	30
Styrene	ND	5.0		101	102	1.0	85	86	1.2	70 - 130	30
tert-Butylbenzene	ND	1.0		106	108	1.9	90	90	0.0	70 - 130	30
Tetrachloroethene	ND	5.0		104	104	0.0	94	94	0.0	70 - 130	30
Tetrahydrofuran (THF)	ND	5.0		93	89	4.4	87	82	5.9	70 - 130	30
Toluene	ND	1.0		102	104	1.9	96	95	1.0	70 - 130	30
trans-1,2-Dichloroethene	ND	5.0		107	109	1.9	105	105	0.0	70 - 130	30
trans-1,3-Dichloropropene	ND	5.0		101	102	1.0	89	87	2.3	70 - 130	30
trans-1,4-dichloro-2-butene	ND	5.0		103	102	1.0	83	81	2.4	70 - 130	30
Trichloroethene	ND	5.0		104	105	1.0	165	165	0.0	70 - 130	30
Trichlorofluoromethane	ND	5.0		110	109	0.9	118	119	0.8	70 - 130	30
Trichlorotrifluoroethane	ND	5.0		102	101	1.0	103	103	0.0	70 - 130	30
Vinyl chloride	ND	5.0		103	103	0.0	116	116	0.0	70 - 130	30
% 1,2-dichlorobenzene-d4	95	%		103	101	2.0	101	100	1.0	70 - 130	30
% Bromofluorobenzene	101	%		100	100	0.0	100	100	0.0	70 - 130	30
% Dibromofluoromethane	102	%		100	99	1.0	97	96	1.0	70 - 130	30
% Toluene-d8	97	%		101	101	0.0	103	101	2.0	70 - 130	30

Comment:

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%, 25-160% for Chloroethane-HL and Trichlorofluoromethane-HL.

I = This parameter is outside laboratory LCS/LCSD specified recovery limits.

m = This parameter is outside laboratory MS/MSD specified recovery limits.

r = This parameter is outside laboratory RPD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference



Phyllis Shiller, Laboratory Director  
May 20, 2022

Friday, May 20, 2022

Criteria: None

State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

\*\*\* No Data to Display \*\*\*

## Sample Criteria Exceedances Report

GCL29292 - ECOASSESS

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

DRAFT



**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Comments

May 20, 2022

SDG I.D.: GCL29292

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report:

### ***Herbicide Narration***

**AU-ECD2 05/17/22-1:** CL29292, CL29293, CL29294, CL29295

The following Continuing Calibration compounds did not meet % deviation criteria:

Samples: CL29292, CL29293, CL29294, CL29295

Preceding CC 517A015 - Dalapon (1) 27%H (15%)

Succeeding CC 517A027 - Dalapon (1) 21%H (15%)

### ***PCB Narration***

**AU-ECD3 05/13/22-1:** CL29293

The following Continuing Calibration compounds did not meet % deviation criteria:

Samples: CL29293

Preceding CC 513B038 - DCBP SURR 18%L (15%)

Succeeding CC 513B051 - None.

### ***PEST Narration***

**AU-ECD7 05/13/22-1:** CL29293, CL29294, CL29295

The following Continuing Calibration compounds did not meet % deviation criteria:

Samples: CL29294, CL29295

Preceding CC 513B019 - Methoxychlor 25%L (20%)

Succeeding CC 513B032 - Methoxychlor 25%L (20%)

A low "1A" standard was run after the samples to demonstrate capability to detect any compounds outside of the CC acceptance criteria. All reported samples were ND for the affected compounds.

Samples: CL29293

Preceding CC 513B032 - Methoxychlor 25%L (20%)

Succeeding CC 513B057 - Methoxychlor 28%L (20%)

A low "1A" standard was run after the samples to demonstrate capability to detect any compounds outside of the CC acceptance criteria. All reported samples were ND for the affected compounds.

### ***SVOA Narration***

**CHEM28 05/17/22-1:** CL29292, CL29293, CL29294, CL29295

For 8270 full list, the DDT breakdown and pentachlorophenol & benzidine peak tailing were evaluated in the DFTPP tune and were found to be in control.

For 8270 BN list, benzidine peak tailing was evaluated in the DFTPP tune and was found to be in control.

The following Initial Calibration compounds did not meet recommended response factors: Hexachlorobenzene 0.078 (0.1)

The following Initial Calibration compounds did not meet minimum response factors: None.

The following Continuing Calibration compounds did not meet % deviation criteria: 3,3'-Dichlorobenzidine 33%L (30%)

The following Continuing Calibration compounds did not meet Maximum % deviation criteria: None.

The following Continuing Calibration compounds did not meet recommended response factors: Hexachlorobenzene 0.084 (0.1)

The following Continuing Calibration compounds did not meet minimum response factors: None.

Up to eight compounds can be outside of ICAL %RSD criteria and up to sixteen compounds can be outside of CCAL %Dev criteria if less than 40%.

### ***VOA Narration***



**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Comments

May 20, 2022

SDG I.D.: GCL29292

**CHEM14 05/12/22-3:** CL29292, CL29293, CL29294, CL29295

The following Initial Calibration compounds did not meet RSD% criteria: Acetone 34% (20%), Chloroethane 31% (20%), Methylene chloride 27% (20%)

The following Initial Calibration compounds did not meet maximum RSD% criteria: None.

The following Initial Calibration compounds did not meet recommended response factors: Acetone 0.089 (0.1)

The following Initial Calibration compounds did not meet minimum response factors: None.

Up to eight compounds can be outside of ICAL %RSD criteria and up to sixteen compounds can be outside of CCAL %Dev criteria if less than 40%.

DRAFT



**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102      Fax (860) 645-0823



## NY Temperature Narration

May 20, 2022

SDG I.D.: GCL29292

---

The samples in this delivery group were received at 2.6°C.  
(Note acceptance criteria for relevant matrices is above freezing up to 6°C)

DRAFT

# PHOENIX

*Environmental Laboratories, Inc.*

Customer: EASSESSMENT, LLC  
 Address: 18 MAPLE AVE  
TARZONNA, NY 10591

## NY/NJ/PA CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Email: info@phoenixlabs.com

Fax (860) 645-0823

**Client Services (860) 645-8726**

Project: Philipsburg Power Plant PAID  
 Report to: TIN JUDGE - ECA ASSESSMENT, LLC

Invoice to:

QUOTE # :

Sampler's Signature		Analysis Request		Turnaround:		PA	
SAMPLE #	Identification	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	NJ	NY
29292	HHV C-1-202001	SE	SE	5/1/22	13:30	1	TOGS GW
29293	HHV C-3-4-202001	SE	SE	5/1/22	13:47	1	CP-51 SOIL
29294	HHV C-5-6-202001	SE	SE	5/1/22	14:03	1	375SCO
29295	HHV C-7-8-202001	SE	SE	5/1/22	14:20	1	Unrestricted Soil
							375SCO
							Residential Soil
							375SCO
							Commercial Soil
							Industrial Soil
							Subpart D
Relinquished by:		Accepted by:		Date:	Time:	Comments, Special Requirements or Regulations:	
<u>TK Judge</u>		<u>John Sandoval</u>		5/1/22	09:35	<input type="checkbox"/> Phoenix Std Report <input type="checkbox"/> EQUIS <input checked="" type="checkbox"/> Excel <input type="checkbox"/> NJ Hazsite EDD <input checked="" type="checkbox"/> PDF <input type="checkbox"/> NY EZ EDD (ASP) <input type="checkbox"/> GIS/Key <input type="checkbox"/> Other	
						<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Impact to GW Cleanup Criteria <input type="checkbox"/> Impact to GW Other <input type="checkbox"/> Impact to GW soil screen Criteria <input type="checkbox"/> * SURCHARGE APPLIES <input type="checkbox"/> GW Criteria	
						<input type="checkbox"/> Clean Fill Limits <input type="checkbox"/> PA-GW <input type="checkbox"/> Reg Fill Limits <input type="checkbox"/> PA Soil Restricted <input type="checkbox"/> PA Soil non-restricted <input type="checkbox"/> State Samples Collected?	

GCL 29292

Teatown Lake Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Volatiles**

1,1,1,2-Tetrachloroethane  
1,1,1-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,1,2-Trichloroethane  
1,1-Dichloroethane  
1,1-Dichloroethene  
1,1-Dichloropropene  
1,2,3-Trichlorobenzene  
1,2,3-Trichloropropane  
1,2,4-Trichlorobenzene  
1,2,4-Trimethylbenzene  
1,2-Dibromo-3-chloropropane  
1,2-Dibromoethane  
1,2-Dichlorobenzene  
1,2-Dichloroethane  
1,2-Dichloropropane  
1,3,5-Trimethylbenzene  
1,3-Dichlorobenzene  
1,3-Dichloropropane  
1,4-Dichlorobenzene  
2,2-Dichloropropane  
2-Chlorotoluene  
2-Hexanone  
2-Isopropyltoluene  
4-Chlorotoluene  
4-Methyl-2-pentanone  
Acetone  
Acrylonitrile  
Benzene  
Bromobenzene  
Bromochloromethane  
Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon Disulfide  
Carbon tetrachloride  
Chlorobenzene  
Chloroethane  
Chloroform

Chloromethane  
cis-1,2-Dichloroethene  
cis-1,3-Dichloropropene  
Dibromochloromethane  
Dibromomethane  
Dichlorodifluoromethane  
Ethylbenzene  
Hexachlorobutadiene  
Isopropylbenzene  
m&p-Xylene  
Methyl Ethyl Ketone  
Methyl t-butyl ether (MTBE)  
Methylene chloride  
Naphthalene  
n-Butylbenzene  
n-Propylbenzene  
o-Xylene  
p-Isopropyltoluene  
sec-Butylbenzene  
Styrene  
tert-Butylbenzene  
Tetrachloroethene  
Tetrahydrofuran (THF)  
Toluene  
Total Xylenes  
trans-1,2-Dichloroethene  
trans-1,3-Dichloropropene  
trans-1,4-dichloro-2-butene  
Trichloroethene  
Trichlorofluoromethane  
Trichlorotrifluoroethane  
Vinyl chloride

Teatown Lake Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Semi-volatiles**

1,2,4,5-Tetrachlorobenzene  
1,2,4-Trichlorobenzene  
1,2-Dichlorobenzene  
1,2-Diphenylhydrazine  
1,3-Dichlorobenzene  
1,4-Dichlorobenzene  
2,4,5-Trichlorophenol  
2,4,6-Trichlorophenol  
2,4-Dichlorophenol  
2,4-Dimethylphenol  
2,4-Dinitrophenol  
2,4-Dinitrotoluene  
2,6-Dinitrotoluene  
2-Chloronaphthalene  
2-Chlorophenol  
2-Methylnaphthalene  
2-Methylphenol (o-cresol)  
2-Nitroaniline  
2-Nitrophenol  
3&4-Methylphenol (m&p-cresol)  
3,3'-Dichlorobenzidine  
3-Nitroaniline  
4,6-Dinitro-2-methylphenol  
4-Bromophenyl phenyl ether  
4-Chloro-3-methylphenol  
4-Chloroaniline  
4-Chlorophenyl phenyl ether  
4-Nitroaniline  
4-Nitrophenol  
Acenaphthene  
Acenaphthylene  
Acetophenone  
Aniline  
Anthracene  
Benz(a)anthracene  
Benzidine  
Benzo(a)pyrene  
Benzo(b)fluoranthene  
Benzo(ghi)perylene  
Benzo(k)fluoranthene  
Benzoic acid  
Benzyl butyl phthalate  
Bis(2-chloroethoxy)methane  
Bis(2-chloroethyl)ether  
Bis(2-chloroisopropyl)ether  
Bis(2-ethylhexyl)phthalate  
Carbazole  
Chrysene  
Dibenz(a,h)anthracene  
Dibenzofuran  
Diethyl phthalate  
Dimethylphthalate  
Di-n-butylphthalate  
Di-n-octylphthalate  
Fluoranthene  
Fluorene  
Hexachlorobenzene  
Hexachlorobutadiene  
Hexachlorocyclopentadiene  
Hexachloroethane  
Indeno(1,2,3-cd)pyrene  
Isophorone  
Naphthalene  
Nitrobenzene  
N-Nitrosodimethylamine  
N-Nitrosodi-n-propylamine  
N-Nitrosodiphenylamine  
Pentachloronitrobenzene  
Pentachlorophenol  
Phenanthrene  
Phenol  
Pyrene  
Pyridine

Teatown Lake Dredge Project  
Sediment Sampling and Analysis Plan: Proposed Analytes

**Pesticides**

4,4' -DDD  
4,4' -DDE  
4,4' -DDT  
a-BHC  
a-Chlordane  
Aldrin  
b-BHC  
Chlordane  
d-BHC  
Dieldrin  
Endosulfan I  
Endosulfan II  
Endosulfan sulfate  
Endrin  
Endrin aldehyde  
Endrin ketone  
g-BHC  
g-Chlordane  
Heptachlor  
Heptachlor epoxide  
Methoxychlor  
Toxaphene

**Chlorinated Herbicides**

2,4,5-T  
2,4,5-TP (Silvex)  
2,4-D  
2,4-DB  
Dalapon  
Dicamba  
Dichloroprop  
Dinoseb

**1,4-dioxane**

1,4-dioxane

**Metals**

Arsenic  
Barium  
Beryllium  
Cadmium  
Chromium  
Copper  
Lead  
Manganese  
Mercury  
Nickel  
Selenium  
Silver  
Trivalent Chromium  
Zinc

**PCBs**

PCB-1016  
PCB-1221  
PCB-1232  
PCB-1242  
PCB-1248  
PCB-1254  
PCB-1260  
PCB-1262  
PCB-1268

**Miscellaneous/Inorganics**

Percent Solid  
Chromium, Hexavalent  
pH - Soil  
Redox Potential  
Total Cyanide (SW9010C Distill.)

# Attachment

M

DRAFT

# MACHINE SPECIFICATIONS

## Model SP-915



ELLICOTT MACHINE CORP.


1611 Bush Street  
Baltimore, Maryland  
21230 U.S.A.

MUD CAT machines are operating in a growing list of countries throughout the world. To obtain complete information, call the MUD CAT DIVISION of ELLICOTT MACHINE CORPORATION  
Phone: 301/837-7900,  
FAX: 301/752-3294  
Telex: 87621.

Copyright 1988—  
ELLICOTT MACHINE CORPORATION

<b>General:</b>	Length (O.A.) .....	39'5½"
	Width (O.A.) .....	9'0"
	Height (O.A.) .....	8'8"
	Weight .....	23,000 lbs. dry
	Draft .....	21"
	Fuel Capacity .....	360 gallons
<b>Flotation:</b>	Pontoons—Two 36" x 32" x 33'0" 10 Gauge Steel with Internal Bulkheads and Stiffeners; formed for rigidity; polyurethane foam filled.	
<b>Cutter Assembly:</b>	Auger: Diameter .....	13½"
	Pitch .....	11"
	Flighting .....	¾"
	Speed .....	Variable to 92.5 RPM
	Cutter Knives .....	Detachable Heat-Treated Blades
	Auger Torque .....	16,660 in. lbs.
<b>Mud Shield:</b>	19"x9' Hydraulically Adjustable	
<b>Working Capacity:</b>	Cut 9' wide x 18" maximum depth	
	Operating Depth .....	15' maximum
<b>Engine:</b>	Detroit Diesel 6-71 N; 175 Continuous BHP @ 1800 RPM	
<b>Drive:</b>	Engine .....	Direct Hydraulic Dual Pump Drive
<b>Pump:</b>	Centrifugal Recessed Impeller Impeller Diameter .....	18"
	Suction Diameter .....	8" (10" available as option)*
	Discharge Diameter .....	6"
	Nominal Pump Performance .....	2000 GPM @ 1180 RPM against 124' Head (water)
	Lead in screw (option)*	
<b>Hydraulic System:</b>	Auger and Accessory Drive—Dual Pumps Capacity Total .....	26.1 GPM @ 1800 RPM (Engine Speed)
	Reservoir .....	47 Gallons at full mark
	Circuit One .....	Auger Drive
	Circuit Two .....	Boom, Mud Shield and Winch
	Relief Valve Setting: Auger .....	3000 PSI
	Others .....	1800 PSI
	Main Pump Drive—Single Pump Variable Displacement Hydraulic Pump Fixed Displacement Hydraulic Motor	
	Capacity .....	76 GPM @ 1800 RPM (Engine Speed)
	Reservoir .....	30 Gallons at full mark
	Relief Valve Setting .....	3750 PSI
<b>Propulsion:</b>	Double Wrap Sheave Hydraulic Winch Traverse Speed .....	31 FPM Maximum Forward & Reverse
	Average Cutting Speed .....	8 to 12 FPM
<b>Electrical System:</b>	Voltage .....	12V
	Alternator Output .....	65 Ampere
	Batteries .....	(2) 12V, 205 Ampere Hour, Parallel Wired
	Circuits .....	2 Wire System Full Ground
<b>Finish:</b>	Polyurethane finish coat on corrosion inhibitive epoxy primer.	
<b>Colors:</b>	Standard Colors .....	Red, White and Blue.
<b>NOTE:</b>	Specifications Subject To Change Without Notice. Optional configurations quoted upon request.	


THEORETICAL PUMP PERFORMANCE CURVE  
SP-915 & SP-920



Impeller Dia — 18 Inch  
No. of Vanes — 8  
Type of Vanes — Recessed  
S.G. of Liquid — 1.0

### NOTE:

The theoretical performance curve indicates capacity for pumping water only. Contact MUD CAT DIV. ELLICOTT for information regarding capacities for pumping material.



MUD CAT DIVISION	BALTIMORE
ELLCOTT MACHINE CORP.	MARYLAND
MUD CAT MODEL SP 915	
DATE	8/8/88
DWG NO.	D9185